



IRAPUATO
MEJOR CIUDAD
2015 - 2018

No.	01790
Expediente	CCS/2018
Asunto	Solicitud de cotización.

Irapuato, Gto. 23 de Mayo de 2018

eti

Estrategia en Tecnología de Información

Blvd. Prolongación Campestre No. 1515

Piso 2 Int.203

Colonia Lomas del Campestre

León, Gto.

mayra.castellanos@estrategiati.com.mx

Presente.

At`n: C. Carlos A. Hernandez Garcia.

Sirva el presente para invitarle a participar en el procedimiento para la adquisición de un servidor para el área de Tecnologías de Información y Comunicación cuyas características mínimas se detallan a continuación:

- Servidor que incluya: 1 PowerEdge FX2 (210-ABUX), 1 Serial I/O Management Cable, for Ethernet Blade Switches (310-9696), 1 PowerEdge FX2 Chassis for up to 4 Half-Width Nodes (321-BBFM), 1 FX2 Half-Width Node Filler Blank (321-BBFT), 1 FX2S Chassis Configuration Label (321-BBFZ), 1 PowerEdge FX2S Chassis Configuration with Flexible IO (up to 8 PCIe Slots) (321-BBGH), 1 US Order (332-1286), 1 PowerEdge FX2 Shipping (340-AGKB), 1 PowerEdge FN I/O Module User Documentation (340-AKBN), 1 User Guide, Fx2 chassis (343-BBBW), 1 Flex Address Plus Enabled, 8GB (385-BBJR), 1 No Media Required (421-5736), 1 Power Supply, Redundancy Alerting Enabled Configuration (450-ADTZ), 1 Dual, Hot-plug, Redundant Power Supply, 2000W, C19/C20 Power Cord Required for Use (450-AENU), 2 Power Cord, C20 to C19, PDU Style, 16A, 250V, 2ft (0.6m) (492-BBEI), 1 Redundant Ethernet Switch Configuration (540-BBQM), 1 CMC Enterprise for FX2 (634-0287), 1 FX2 ReadyRails Sliding Rails (770-BBER), 1 Onsite Installation Declined (911-0418), 1 Dell Proactive Systems Management - Declined - www.dell.com/Proactive (923-7489), 1 Thank you for choosing Dell ProSupport Plus. For tech support, visit <http://www.dell.com/contactdell> (971-7037), 1 Declined Remote Consulting Service (973-2873), 1 Dell Limited Hardware Warranty Plus Service, Initial Year (974-2754), 1 ProSupport Plus: Mission Critical 4-Hour 7x24 On-Site Service with Emergency Dispatch, Initial Year (974-2856), 1 ProSupport Plus: 7x24 HW/SW Tech Support and Assistance, 5Year (974-2865), 1 Dell Limited Hardware Warranty Plus Service, Extended Year(s) (974-2755), 1 ProSupport Plus: Mission Critical 4-Hour 7x24 On-Site Service with Emergency Dispatch, 4 Year Extended (974-2859), 3 PowerEdge FC640 Server Node (210-ALYN), 3 Chassis with up to 2 PCIe SSD or SATA Hard Drives (Diskless, No Raid, or SW Raid only) (321-BCTY), 3 US Order (332-1286), 3 Intel Xeon Gold 6136 3.0G, 12C/24T, 10.4GT/s , 24.75M Cache, Turbo, HT (150W) DDR4-2666 (338-BLMG), 3 Performance Optimized (370-AAIP), 18 32GB RDIMM 2666MT/s Dual Rank (370-ADNF), 3 2666MT/s RDIMMs (370-ADNU), 3 Intel Xeon Gold 6136 3.0G, 12C/24T, 10.4GT/s , 24.75M Cache, Turbo, HT (150W) DDR4-2666 (374-BBOB), 3 iDRAC Group

**JUNTA DE AGUA POTABLE, DRENAJE, ALCANTARILLADO
Y SANEAMIENTO DEL MUNICIPIO DE IRAPUATO**

Blvd. Juan José Torres Landa no. 1720, Col. Independencia
C.P. 36559, Irapuato, Gto. 01 (462) 606 91 00
www.japami.gob.mx





IRAPUATO
MEJOR CIUDAD

Manager, Enabled (379-BCQV), 3 Performance BIOS Settings (384-BBBL); 2 3 1 8
iDRAC9,Enterprise (385-BBKT), 3 Internal Dual SD Module with 2x 16GB SD Card (385-BBMG), 3 PowerEdge FC640 Regulatory Label, DAO (389-CFVE), 3 No Controller (405-AAACD), 3 2 CPU Heatsink (412-AAJM), 3 No Media Required (421-5736), 3 No Trusted Platform Module (461-AADZ), 3 PowerEdge FC PCIE Mezzanine Adapter (492-BBQT), 3 OME Server Configuration Management (528-BBWT), 3 Broadcom 57416 Dual Port 10Gb, Base-T, PCIe Adapter, Low Profile (540-BBVJ), 3 QLogic 57810-k Dual port 10Gb KR CNA Blade Network Daughter Card (542-BBBN), 3 No Systems Documentation, No OpenManage DVD Kit (631-AACK), 3 VMware ESXi 6.5 U1 Embedded Image on Flash Media for Diskless (634-BNJK), 3 System ordered as part of Multipack order (750-AADI), 3 System ordered as part of Multipack order (750-AADI), 3 Diskless Configuration (No RAID, No Controller) (780-BCDH), 3 On-Site Installation Declined (900-9997), 3 Thank you for choosing Dell ProSupport Plus. For tech support, visit <http://www.dell.com/contactdell> (971-7037), 3 Dell Limited Hardware Warranty Plus Service, Initial Years (815-2743), 3 ProSupport Plus Mission Critical: 4-Hour 7x24 On-Site Service with Emergency Dispatch, 3 Years (815-2768), 3 ProSupport Plus Mission Critical: 7x24 HW/SW Technical Support and Assistance, 5 Years (815-2773), 3 ProSupport Plus Mission Critical: 4-Hour 7x24 On-Site Service with Emergency Dispatch, 2 Years Extended (815-2772), 3 Dell Hardware Limited Warranty Plus On Site Service Extended Year (963-5582), 2 Dell PowerEdge FN410T I/O Module, 8x Internal to 4x 10GBASE-T external ports, Factory Installed (210-AHBR), 2 US Order (332-1286), 2 Software, Rights to use Full-Switch Mode, FN I/O Module (634-BFBL), 2 On-Site Installation Declined (900-9997), 2 Thank you for choosing Dell ProSupport Plus. For tech support, visit <http://www.dell.com/contactdell> (971-7037), 2 Dell Limited Hardware Warranty Plus Service, Initial Years (808-2455), 2 ProSupport Plus Mission Critical:4-Hour 7x24 Onsite Service with Emergency Dispatch, 3 Years (808-2677), 2 ProSupport Plus Mission Critical:7x24 HW/SW Technical Support and Assistance, 5 Years (808-2709), 2 ProSupport Plus Mission Critical:4-Hour 7x24 Onsite Service with Emergency Dispatch, 2 Years Extended (808-2669), 2 Dell Hardware Limited Warranty Plus On Site Service Extended Year (963-5582).
1 SCv3000 3Ux16 Drive Storage Array (210-ALVH), 1 US Order (332-1286), 1 SHIP,SCV3000,DAO (340-BRZD), 1 SC Bezel (350-BBKJ), 6 SC, 960GB, SAS, 12Gb, RI SSD, 2.5" HYB (400-ARSY), 10 SC, 6TB, SAS, 12Gb, 7.2K, 3.5" HDD (400-AVLB), 1 No Mezzanine Card (403-BBPD), 1 No Mezzanine Card (403-BBPD), 1 IO, 10Gb iSCSI, 4 port, PCI-E, Copper, Full height (406-BBLY), 1 IO, 10Gb iSCSI, 4 port, PCI-E, Copper, Full height (406-BBLY), 1 SCv30X0 Dual Controller Components (449-BBLE), 2 Power Cord, 250V, 16A, C19 to C20, 2 feet (450-AFEF), 1 Redundant Power Supply, 1378W, C20 (450-AGJN), 1 Storage Center Core Software Bundle, Base License (634-BJUI), 1 SSN License (634-BKCL), 1 Storage Optimization Bundle, Software License (Includes: Data Progression, Fast Track) (634-BKCM), 1 Rack rail, 2Us, Static (770-BBUJ), 1 On-Site Installation Declined (900-9997), 1 Thank you for choosing Dell ProSupport Plus. For tech support, visit <http://www.dell.com/contactdell> (971-7037), 1 Dell Hardware Limited Warranty (814-4998), 1 ProSupport Plus Mission Critical: 4-Hour 7x24 On-Site Service with Emergency Dispatch, 3 Years (814-5112), 1 ProSupport Plus Mission Critical: 7x24 HW/SW Tech Support and Assistance, 5 Years (814-5122), 1 ProSupport for Software: 7X24 Storage Center Optimization Bundle, 5 Years (815-3748), 1 ProSupport Plus Mission Critical: 4-Hour 7x24 On-Site Service with Emergency Dispatch, 2 Years Extended (814-5108), 1 Dell Limited Hardware Warranty Extended Year(s) (975-3461).

**JUNTA DE AGUA POTABLE, DRENAJE, ALCANTARILLADO
Y SANEAMIENTO DEL MUNICIPIO DE IRAPUATO**

Blvd. Juan José Torres Landa no. 1720, Col. Independencia
C.P. 36559, Irapuato, Gto. 01 (462) 606 91 00
www.japami.gob.mx



2 Dell Networking N4032, 24x 10GBASE-T Ports, 1x Modular Bay, 2x AC PSU, 10 to PSU 18 Airflow (210-ABVS), 2 US Order (332-1286), 2 Documentation Kit, N4000 Series Switch (340-AGNR), 2 QSFP+ 40GbE Module, 2-Port, Hot Swap, used for 40GbE Uplink, Stacking, or 8x 10GbE Breakout (409-BBCP), 2 Power Cord, 125V, 15A, 10 Feet, NEMA 5-15/C13 (450-AAFH), 2 Power Cord, 125V, 15A, 10 Feet, NEMA 5-15/C13 (450-AAFH), 2 Dell Networking, Cable, QSFP+ to QSFP+, 40GbE Passive Copper Direct Attach Cable, 1 Meter (470-AAFE), 2 On-Site Installation Declined (900-9997), 2 SW Support, NW, 90 Day (966-9813), 2 Thank you for choosing Dell ProSupport Plus. For tech support, visit <http://www.dell.com/contactdell> (971-7037), 2 Dell Limited Hardware Warranty, Initial Year (966-9801), 2 Lifetime Limited Hardware Warranty with Basic Hardware Service Next Business Day Parts Only on your Power Connect Switch (966-9807), 2 ProSupport Plus: Mission Critical 4-Hour 7x24 On-Site Service with Emergency Dispatch, Initial Year (966-9994), 2 ProSupport Plus: 7x24 HW/SW Tech Support and Assistance, 5Year (973-9367), 2 Dell Hardware Limited Warranty Extended Year(s) (966-9803), 2 ProSupport Plus: Mission Critical 4-Hour 7x24 On-Site Service with Emergency Dispatch, 4 Year Extended (973-9331).

1 BUNDLE KIT 10 KVM ANALOGO 8PT Y KMM (A9860533) (incluye: 1 8-port APC KVM 2G Analog-KVM switch - CAT5 - 8 x

KVM port(s) - 1 local user - rack-mountable, 1 RACK 19IN LCD CONSOLE, 1 APC Server Module - KVM extender - USB - for

KVM 2G Enterprise analog, Enterprise Digital/IP).

1 BUNDLE APC KIT 4 GABINETE Y UPS ONLINE 5KVA (A9855624), 1 Installation of a Dell PowerEdge Rack (926-6439)

(Incluye: 1 Dell Netshelter SX 42U Rack - 600mm Wide x 1070mm Deep, 2 American Power Conversion AR8442 Zero U Vertical

Cable Organizer for Netshelter Racks, 1 Dell APC SMART-UPS SRT 5000VA RM 208 6KVA RM BATTERY PACK, 2 American

Power Conversion AP7541 Zero U Basic Rack Power Distribution Unit, 1 Installation of a Dell PowerEdge Rack).

- Configuración, instalación y puesta en marcha. Deberán presentar pruebas de "Alta disponibilidad", deberán entregar manual de usuario.
- Capacitación sobre la instalación, configuración y puesta en marcha a personal de TIC de JAPAMI.
- Garantía del bien por el proveedor, mínima de 3 años;

La adquisición se realizara a través de un procedimiento de Licitación Restringida por parte del Comité de Adquisiciones enajenaciones, arrendamientos y servicios.

RECEPCION DE PROPUESTAS TECNICAS Y ECONOMICAS:

- Del **29 de mayo al 4 de junio del 2018** de 09:00 a las 15:00 horas,
- En el módulo de oficialía de partes de las oficinas centrales de JAPAMI, ubicadas en Juan José Torres Landa no. 1720, Col. Independencia, Irapuato, Gto.
- Con atención al Ing. Humberto Javier Rosiles Álvarez Director General de Japami.

REQUISITOS PARA LA PRESENTACIÓN DE LA PROPUESTA TÉCNICA Y ECONÓMICA.

- Deberá entregarse en sobre cerrado en hoja membretada y firma autógrafa en original por el representante legal.
- Su propuesta económica deberá ser en moneda nacional con IVA desglosado;
- Vigencia de la propuesta;

PERIODO DE ENTREGA DE LOS BIENES.

- 10 (diez) Semanas para la entrega y puesta en marcha, a partir de la firma del contrato.

Deberá apegarse justa, exacta y cabalmente a los requisitos y especificaciones del bien enunciado.

CONDICIONES DE PAGO

- Se podrá otorgar un anticipo, a solicitud del proveedor, máximo del 50%.
- Se efectuara el pago del monto restante que corresponda una vez hecha la entrega dentro de los 10 días hábiles posteriores de haber recibido el equipo de conformidad por parte del Director de Tecnologías de la Información y Comunicación y el Director de Adquisiciones y Almacén de Japami.

CONTRATO Y GARANTIAS

El proveedor adjudicado deberá de formalizar la celebración del contrato, dentro de los diez días hábiles posteriores a la notificación del fallo tomado por el comité.

En caso de requerir anticipo, deberá entregar una garantía por el 100% del monto otorgado como anticipo.

Deberá entregar una garantía de cumplimiento por el 10% del monto total contratado.

Se aceptara exclusivamente como garantía fianza o cheque certificado.

Deberá entregar una garantía de vicios ocultos, previamente a la recepción de los bienes, **EL PROVEEDOR** se obliga a constituir una fianza por el equivalente al 10% diez por ciento del monto total del contrato sin incluir el I.V.A., a efecto de responder de los defectos que resultaren en los mismos, de los vicios ocultos y de cualquier responsabilidad en que hubiere incurrido de conformidad con lo establecido en este contrato y en la legislación aplicable. Esta garantía tendrá una vigencia de 12 meses a partir de la entrega-recepción de los bienes.

CAUSAS PARA DESECHAR LAS PROPUESTAS

1. Que sus características se oferten de manera incompleta, diferente, o que no indiquen datos de identificación, cantidad, descripción, marca, modelo, unidad de medida o demás solicitadas.
2. Las que rebasen la base para el precio no aceptable.

CAUSAS PARA DECLARAR DESIERTO EL PROCEDIMIENTO DE ADJUDICACIÓN.

1. Si el acto de apertura de ofertas no se cuenta por lo menos con tres propuestas a sobre cerrado que cumplan con los requisitos establecidos en la invitación.

Para aclarar cualquier duda respecto a la descripción de lo solicitado, favor de comunicarse a la dirección de correo electrónico:

ksandoval@japami.gob.mx, maperez@japami.gob.mx, jnieto@japami.gob.mx, y/o al teléfono (462) 6069100 extensión 110, 133,146 y149 con atención a la Lic. Karina Sandoval Rodríguez, Ing. Marco Antonio Perez Martínez, y/o C.P. Jeronimo Nieto Martinez.

ATENTAMENTE

"Tu agua, Tu entorno"

Ing. Humberto Javier Rosiles Álvarez
Director General

C.c.p.- Karina Sandoval Rodríguez.-Gerente Administrativa.- Mismo fin
Jerónimo Nieto Martínez.- Director de Adquisiciones y Almacén.- Mismo fin
Marco Antonio Perez Martínez.- Director de Tecnologías de la Información y Comunicación.- Mismo Fin
Ma. Del Carmen Barajas Zepeda.- Coordinador Jurídico
Archivo.

**JUNTA DE AGUA POTABLE, DRENAJE, ALCANTARILLADO
Y SANEAMIENTO DEL MUNICIPIO DE IRAPUATO**

Bldv. Juan José Torres Landa no. 1720, Col. Independencia
C.P. 36559, Irapuato, Gto. 01 (462) 606 91 00
www.japami.gob.mx





IRAPUATO
MEJOR CIUDAD
2015 - 2018

No.	01791
Expediente	CCS/2018
Asunto	Solicitud de cotización.

Irapuato, Gto. 23 de Mayo de 2018

Gectech de México S.A. de C.V.

Av. Las Américas No. 608

Colonia: La Fuente 20230

Aguascalientes, Ags.

jvelasco@gectech.mx

Presente.

At`n: C. Ing. Jesus Velasco.

Sirva el presente para invitarle a participar en el procedimiento para la adquisición de un servidor para el área de Tecnologías de Información y Comunicación cuyas características mínimas se detallan a continuación:

- Servidor que incluya: 1 PowerEdge FX2 (210-ABUX), 1 Serial I/O Management Cable, for Ethernet Blade Switches (310-9696), 1 PowerEdge FX2 Chassis for up to 4 Half-Width Nodes (321-BBFM), 1 FX2 Half-Width Node Filler Blank (321-BBFT), 1 FX2S Chassis Configuration Label (321-BBFZ), 1 PowerEdge FX2S Chassis Configuration with Flexible IO (up to 8 PCIe Slots) (321-BBGH), 1 US Order (332-1286), 1 PowerEdge FX2 Shipping (340-AGKB), 1 PowerEdge FN I/O Module User Documentation (340-AKBN), 1 User Guide, Fx2 chassis (343-BBBW), 1 Flex Address Plus Enabled, 8GB (385-BBJR), 1 No Media Required (421-5736), 1 Power Supply, Redundancy Alerting Enabled Configuration (450-ADTZ), 1 Dual, Hot-plug, Redundant Power Supply, 2000W, C19/C20 Power Cord Required for Use (450-AENU), 2 Power Cord, C20 to C19, PDU Style, 16A, 250V, 2ft (0.6m) (492-BBEI), 1 Redundant Ethernet Switch Configuration (540-BBQM), 1 CMC Enterprise for FX2 (634-0287), 1 FX2 ReadyRails Sliding Rails (770-BBER), 1 Onsite Installation Declined (911-0418), 1 Dell Proactive Systems Management - Declined - www.dell.com/Proactive (923-7489), 1 Thank you for choosing Dell ProSupport Plus. For tech support, visit <http://www.dell.com/contactdell> (971-7037), 1 Declined Remote Consulting Service (973-2873), 1 Dell Limited Hardware Warranty Plus Service, Initial Year (974-2754), 1 ProSupport Plus: Mission Critical 4-Hour 7x24 On-Site Service with Emergency Dispatch, Initial Year (974-2856), 1 ProSupport Plus: 7x24 HW/SW Tech Support and Assistance, 5Year (974-2865), 1 Dell Limited Hardware Warranty Plus Service, Extended Year(s) (974-2755), 1 ProSupport Plus: Mission Critical 4-Hour 7x24 On-Site Service with Emergency Dispatch, 4 Year Extended (974-2859), 3 PowerEdge FC640 Server Node (210-ALYN), 3 Chassis with up to 2 PCIe SSD or SATA Hard Drives (Diskless, No Raid, or SW Raid only) (321-BCTY), 3 US Order (332-1286), 3 Intel Xeon Gold 6136 3.0G, 12C/24T, 10.4GT/s , 24.75M Cache, Turbo, HT (150W) DDR4-2666 (338-BLMG), 3 Performance Optimized (370-AAIP), 18 32GB RDIMM 2666MT/s Dual Rank (370-ADNF), 3 2666MT/s RDIMMs (370-ADNU), 3 Intel Xeon Gold 6136 3.0G, 12C/24T, 10.4GT/s , 24.75M Cache, Turbo, HT (150W) DDR4-2666 (374-BBOB), 3 iDRAC Group

**JUNTA DE AGUA POTABLE, DRENAJE, ALCANTARILLADO
Y SANEAMIENTO DEL MUNICIPIO DE IRAPUATO**

Bldv. Juan José Torres Landa no. 1720, Col. Independencia
C.P. 36559, Irapuato, Gto. 01 (462) 606 91 00
www.japami.gob.mx





IRAPUATO
MEJOR CIUDAD

Manager, Enabled (379-BCQV), 3 Performance BIOS Settings (384-BBBL); 2 3 1 8
iDRAC9,Enterprise (385-BBKT), 3 Internal Dual SD Module with 2x 16GB SD Card (385-BBMG), 3 PowerEdge FC640 Regulatory Label, DAO (389-CFVE), 3 No Controller (405-AACD), 3 2 CPU Heatsink (412-AAJM), 3 No Media Required (421-5736), 3 No Trusted Platform Module (461-AADZ), 3 PowerEdge FC PCIE Mezzanine Adapter (492-BBQT), 3 OME Server Configuration Management (528-BBWT), 3 Broadcom 57416 Dual Port 10Gb, Base-T, PCIe Adapter, Low Profile (540-BBVJ), 3 QLogic 57810-k Dual port 10Gb KR CNA Blade Network Daughter Card (542-BBBN), 3 No Systems Documentation, No OpenManage DVD Kit (631-AACK), 3 VMware ESXi 6.5 U1 Embedded Image on Flash Media for Diskless (634-BNJK), 3 System ordered as part of Multipack order (750-AADI), 3 System ordered as part of Multipack order (750-AADI), 3 Diskless Configuration (No RAID, No Controller) (780-BCDH), 3 On-Site Installation Declined (900-9997), 3 Thank you for choosing Dell ProSupport Plus. For tech support, visit <http://www.dell.com/contactdell> (971-7037), 3 Dell Limited Hardware Warranty Plus Service, Initial Years (815-2743), 3 ProSupport Plus Mission Critical: 4-Hour 7x24 On-Site Service with Emergency Dispatch, 3 Years (815-2768), 3 ProSupport Plus Mission Critical: 7x24 HW/SW Technical Support and Assistance, 5 Years (815-2773), 3 ProSupport Plus Mission Critical: 4-Hour 7x24 On-Site Service with Emergency Dispatch, 2 Years Extended (815-2772), 3 Dell Hardware Limited Warranty Plus On Site Service Extended Year (963-5582), 2 Dell PowerEdge FN410T I/O Module, 8x Internal to 4x 10GBASE-T external ports, Factory Installed (210-AHBR), 2 US Order (332-1286), 2 Software, Rights to use Full-Switch Mode, FN I/O Module (634-BFBL), 2 On-Site Installation Declined (900-9997), 2 Thank you for choosing Dell ProSupport Plus. For tech support, visit <http://www.dell.com/contactdell> (971-7037), 2 Dell Limited Hardware Warranty Plus Service, Initial Years (808-2455), 2 ProSupport Plus Mission Critical:4-Hour 7x24 Onsite Service with Emergency Dispatch, 3 Years (808-2677), 2 ProSupport Plus Mission Critical:7x24 HW/SW Technical Support and Assistance, 5 Years (808-2709), 2 ProSupport Plus Mission Critical:4-Hour 7x24 Onsite Service with Emergency Dispatch, 2 Years Extended (808-2669), 2 Dell Hardware Limited Warranty Plus On Site Service Extended Year (963-5582).
1 SCv3000 3Ux16 Drive Storage Array (210-ALVH), 1 US Order (332-1286), 1 SHIP,SCV3000,DAO (340-BRZD), 1 SC Bezel (350-BBKJ), 6 SC, 960GB, SAS, 12Gb, RI SSD, 2.5" HYB (400-ARSY), 10 SC, 6TB, SAS, 12Gb, 7.2K, 3.5" HDD (400-AVLB), 1 No Mezzanine Card (403-BBPD), 1 No Mezzanine Card (403-BBPD), 1 IO, 10Gb iSCSI, 4 port, PCI-E, Copper, Full height (406-BBLY), 1 IO, 10Gb iSCSI, 4 port, PCI-E, Copper, Full height (406-BBLY), 1 SCv30X0 Dual Controller Components (449-BBLE), 2 Power Cord, 250V, 16A, C19 to C20, 2 feet (450-AFEF), 1 Redundant Power Supply, 1378W, C20 (450-AGJN), 1 Storage Center Core Software Bundle, Base License (634-BJUI), 1 SSN License (634-BKCL), 1 Storage Optimization Bundle, Software License (Includes: Data Progression, Fast Track) (634-BKCM), 1 Rack rail, 2Us, Static (770-BBUJ), 1 On-Site Installation Declined (900-9997), 1 Thank you for choosing Dell ProSupport Plus. For tech support, visit <http://www.dell.com/contactdell> (971-7037), 1 Dell Hardware Limited Warranty (814-4998), 1 ProSupport Plus Mission Critical: 4-Hour 7x24 On-Site Service with Emergency Dispatch, 3 Years (814-5112), 1 ProSupport Plus Mission Critical: 7x24 HW/SW Tech Support and Assistance, 5 Years (814-5122), 1 ProSupport for Software: 7X24 Storage Center Optimization Bundle, 5 Years (815-3748), 1 ProSupport Plus Mission Critical: 4-Hour 7x24 On-Site Service with Emergency Dispatch, 2 Years Extended (814-5108), 1 Dell Limited Hardware Warranty Extended Year(s) (975-3461).

**JUNTA DE AGUA POTABLE, DRENAJE, ALCANTARILLADO
Y SANEAMIENTO DEL MUNICIPIO DE IRAPUATO**

Blvd. Juan José Torres Landa no. 1720, Col. Independencia
C.P. 36559, Irapuato, Gto. 01 (462) 606 91 00
www.japami.gob.mx



2 Dell Networking N4032, 24x 10GBASE-T Ports, 1x Modular Bay, 2x AC PSU, IO to PSU Airflow (210-ABVS), 2 US Order (332-1286), 2 Documentation Kit, N4000 Series Switch (340-AGNR), 2 QSFP+ 40GbE Module, 2-Port, Hot Swap, used for 40GbE Uplink, Stacking, or 8x 10GbE Breakout (409-BBCP), 2 Power Cord, 125V, 15A, 10 Feet, NEMA 5-15/C13 (450-AAFH), 2 Power Cord, 125V, 15A, 10 Feet, NEMA 5-15/C13 (450-AAFH), 2 Dell Networking, Cable, QSFP+ to QSFP+, 40GbE Passive Copper Direct Attach Cable, 1 Meter (470-AAFE), 2 On-Site Installation Declined (900-9997), 2 SW Support, NW, 90 Day (966-9813), 2 Thank you for choosing Dell ProSupport Plus. For tech support, visit <http://www.dell.com/contactdell> (971-7037), 2 Dell Limited Hardware Warranty, Initial Year (966-9801), 2 Lifetime Limited Hardware Warranty with Basic Hardware Service Next Business Day Parts Only on your Power Connect Switch (966-9807), 2 ProSupport Plus: Mission Critical 4-Hour 7x24 On-Site Service with Emergency Dispatch, Initial Year (966-9994), 2 ProSupport Plus: 7x24 HW/SW Tech Support and Assistance, 5Year (973-9367), 2 Dell Hardware Limited Warranty Extended Year(s) (966-9803), 2 ProSupport Plus: Mission Critical 4-Hour 7x24 On-Site Service with Emergency Dispatch, 4 Year Extended (973-9331).

1 BUNDLE KIT 10 KVM ANALOGO 8PT Y KMM (A9860533) (incluye: 1 8-port APC KVM 2G Analog-KVM switch - CAT5 - 8 x

KVM port(s) - 1 local user - rack-mountable, 1 RACK 19IN LCD CONSOLE, 1 APC Server Module - KVM extender - USB - for

KVM 2G Enterprise analog, Enterprise Digital/IP).

1 BUNDLE APC KIT 4 GABINETE Y UPS ONLINE 5KVA (A9855624), 1 Installation of a Dell PowerEdge Rack (926-6439)

(Incluye: 1 Dell Netshelter SX 42U Rack - 600mm Wide x 1070mm Deep, 2 American Power Conversion AR8442 Zero U Vertical

Cable Organizer for Netshelter Racks, 1 Dell APC SMART-UPS SRT 5000VA RM 208 6KVA RM BATTERY PACK, 2 American

Power Conversion AP7541 Zero U Basic Rack Power Distribution Unit, 1 Installation of a Dell PowerEdge Rack).

- Configuración, instalación y puesta en marcha. Deberán presentar pruebas de "Alta disponibilidad", deberán entregar manual de usuario.
- Capacitación sobre la instalación, configuración y puesta en marcha a personal de TIC de JAPAMI.
- Garantía del bien por el proveedor, mínima de 3 años;

La adquisición se realizara a través de un procedimiento de Licitación Restringida por parte del Comité de Adquisiciones enajenaciones, arrendamientos y servicios.

RECEPCION DE PROPUESTAS TECNICAS Y ECONOMICAS:

- Del **29 de mayo al 4 de junio del 2018** de 09:00 a las 15:00 horas,
- En el módulo de oficialía de partes de las oficinas centrales de JAPAMI, ubicadas en Juan José Torres Landa no. 1720, Col. Independencia, Irapuato, Gto.
- Con atención al Ing. Humberto Javier Rosiles Álvarez Director General de Japami.

REQUISITOS PARA LA PRESENTACIÓN DE LA PROPUESTA TÉCNICA Y ECONÓMICA.

- Deberá entregarse en sobre cerrado en hoja membretada y firma autógrafa en original por el representante legal.
- Su propuesta económica deberá ser en moneda nacional con IVA desglosado;
- Vigencia de la propuesta;

PERIODO DE ENTREGA DE LOS BIENES.

- 10 (diez) Semanas para la entrega y puesta en marcha, a partir de la firma del contrato.

Deberá apegarse justa, exacta y cabalmente a los requisitos y especificaciones del bien enunciado.

CONDICIONES DE PAGO

- Se podrá otorgar un anticipo, a solicitud del proveedor, máximo del 50%.
- Se efectuara el pago del monto restante que corresponda una vez hecha la entrega dentro de los 10 días hábiles posteriores de haber recibido el equipo de conformidad por parte del Director de Tecnologías de la Información y Comunicación y el Director de Adquisiciones y Almacén de Japami.

CONTRATO Y GARANTIAS

El proveedor adjudicado deberá de formalizar la celebración del contrato, dentro de los diez días hábiles posteriores a la notificación del fallo tomado por el comité.

En caso de requerir anticipo, deberá entregar una garantía por el 100% del monto otorgado como anticipo.

Deberá entregar una garantía de cumplimiento por el 10% del monto total contratado.

Se aceptara exclusivamente como garantía fianza o cheque certificado.

Deberá entregar una garantía de vicios ocultos, previamente a la recepción de los bienes, **EL PROVEEDOR** se obliga a constituir una fianza por el equivalente al 10% diez por ciento del monto total del contrato sin incluir el I.V.A., a efecto de responder de los defectos que resultaren en los mismos, de los vicios ocultos y de cualquier responsabilidad en que hubiere incurrido de conformidad con lo establecido en este contrato y en la legislación aplicable. Esta garantía tendrá una vigencia de 12 meses a partir de la entrega-recepción de los bienes.

CAUSAS PARA DESECHAR LAS PROPUESTAS

3. Que sus características se oferten de manera incompleta, diferente, o que no indiquen datos de identificación, cantidad, descripción, marca, modelo, unidad de medida o demás solicitadas.
4. Las que rebasen la base para el precio no aceptable.

CAUSAS PARA DECLARAR DESIERTO EL PROCEDIMIENTO DE ADJUDICACIÓN.

2. Si el acto de apertura de ofertas no se cuenta por lo menos con tres propuestas a sobre cerrado que cumplan con los requisitos establecidos en la invitación.

Para aclarar cualquier duda respecto a la descripción de lo solicitado, favor de comunicarse a la dirección de correo electrónico:

ksandoval@japami.gob.mx, maperez@japami.gob.mx, jnieto@japami.gob.mx, y/o al teléfono (462) 6069100 extensión 110, 133,146 y149 con atención a la Lic. Karina Sandoval Rodríguez, Ing. Marco Antonio Perez Martínez, y/o C.P. Jeronimo Nieto Martinez.

ATENTAMENTE
"Tu agua, Tu entorno"

Ing. Humberto Javier Rosiles Álvarez
Director General

C.c.p.- Karina Sandoval Rodríguez.-Gerente Administrativa.- Mismo fin
Jerónimo Nieto Martínez.- Director de Adquisiciones y Almacén.- Mismo fin
Marco Antonio Perez Martínez.- Director de Tecnologías de la Información y Comunicación.- Mismo Fin
Ma. Del Carmen Barajas Zepeda.- Coordinador Jurídico
Archivo.

**JUNTA DE AGUA POTABLE, DRENAJE, ALCANTARILLADO
Y SANEAMIENTO DEL MUNICIPIO DE IRAPUATO**

Bldv. Juan José Torres Landa no. 1720, Col. Independencia
C.P. 36559, Irapuato, Gto. 01 (462) 606 91 00
www.japami.gob.mx





IRAPUATO
MEJOR CIUDAD
2015 - 2018

No.	01792
Expediente	CCS/2018
Asunto	Solicitud de cotización.

Irapuato, Gto. 23 de Mayo de 2018

MC Microcomputacion del Bajío S.A. de C.V.
Bldv. Mariano Escobedo Oriente No.4502 13
Colonia San Isidro de Jerez
León, Gto.
Cmendez@micromp.com.mx
Presente.


At`n: C. Christian Méndez

Sirva el presente para invitarle a participar en el procedimiento para la adquisición de un servidor para el área de Tecnologías de Información y Comunicación cuyas características mínimas se detallan a continuación:

- Servidor que incluya: 1 PowerEdge FX2 (210-ABUX), 1 Serial I/O Management Cable, for Ethernet Blade Switches (310-9696), 1 PowerEdge FX2 Chassis for up to 4 Half-Width Nodes (321-BBFM), 1 FX2 Half-Width Node Filler Blank (321-BBFT), 1 FX2S Chassis Configuration Label (321-BBFZ), 1 PowerEdge FX2S Chassis Configuration with Flexible IO (up to 8 PCIe Slots) (321-BBGH), 1 US Order (332-1286), 1 PowerEdge FX2 Shipping (340-AGKB), 1 PowerEdge FN I/O Module User Documentation (340-AKBN), 1 User Guide, Fx2 chassis (343-BBBW), 1 Flex Address Plus Enabled, 8GB (385-BBJR), 1 No Media Required (421-5736), 1 Power Supply, Redundancy Alerting Enabled Configuration (450-ADTZ), 1 Dual, Hot-plug, Redundant Power Supply, 2000W, C19/C20 Power Cord Required for Use (450-AENU), 2 Power Cord, C20 to C19, PDU Style, 16A, 250V, 2ft (0.6m) (492-BBEI), 1 Redundant Ethernet Switch Configuration (540-BBQM), 1 CMC Enterprise for FX2 (634-0287), 1 FX2 ReadyRails Sliding Rails (770-BBER), 1 Onsite Installation Declined (911-0418), 1 Dell Proactive Systems Management - Declined - www.dell.com/Proactive (923-7489), 1 Thank you for choosing Dell ProSupport Plus. For tech support, visit <http://www.dell.com/contactdell> (971-7037), 1 Declined Remote Consulting Service (973-2873), 1 Dell Limited Hardware Warranty Plus Service, Initial Year (974-2754), 1 ProSupport Plus: Mission Critical 4-Hour 7x24 On-Site Service with Emergency Dispatch, Initial Year (974-2856), 1 ProSupport Plus: 7x24 HW/SW Tech Support and Assistance, 5Year (974-2865), 1 Dell Limited Hardware Warranty Plus Service, Extended Year(s) (974-2755), 1 ProSupport Plus: Mission Critical 4-Hour 7x24 On-Site Service with Emergency Dispatch, 4 Year Extended (974-2859), 3 PowerEdge FC640 Server Node (210-ALYN), 3 Chassis with up to 2 PCIe SSD or SATA Hard Drives (Diskless, No Raid, or SW Raid only) (321-BCTY), 3 US Order (332-1286), 3 Intel Xeon Gold 6136 3.0G, 12C/24T, 10.4GT/s , 24.75M Cache, Turbo, HT (150W) DDR4-2666 (338-BLMG), 3 Performance Optimized (370-AAIP), 18 32GB RDIMM 2666MT/s Dual Rank (370-ADNF), 3 2666MT/s RDIMMs (370-ADNU), 3 Intel Xeon Gold 6136 3.0G, 12C/24T, 10.4GT/s , 24.75M Cache, Turbo, HT (150W) DDR4-2666 (374-BBOB), 3 iDRAC Group Manager, Enabled (379-BCQV), 3 Performance BIOS Settings (384-BBBL), 3 iDRAC9, Enterprise (385-BBKT), 3 Internal Dual SD Module with 2x 16GB SD Card (385-

**JUNTA DE AGUA POTABLE, DRENAJE, ALCANTARILLADO
Y SANEAMIENTO DEL MUNICIPIO DE IRAPUATO**

Bldv. Juan José Torres Landa no. 1720, Col. Independencia
C.P. 36559, Irapuato, Gto. 01 (462) 606 91 00
www.japami.gob.mx





IRAPUATO
MEJOR CIUDAD

BBMG), 3 PowerEdge FC640 Regulatory Label, DAO (389-CFVE), 3 No Controller (405-AACD), 3 2 CPU Heatsink (412-AAJM), 3 No Media Required (421-5736), 3 No Trusted Platform Module (461-AADZ), 3 PowerEdge FC PCIE Mezzanine Adapter (492-BBQT), 3 OME Server Configuration Management (528-BBWT), 3 Broadcom 57416 Dual Port 10Gb, Base-T, PCIe Adapter, Low Profile (540-BBVJ), 3 QLogic 57810-k Dual port 10Gb KR CNA Blade Network Daughter Card (542-BBBN), 3 No Systems Documentation, No OpenManage DVD Kit (631-AACK), 3 VMware ESXi 6.5 U1 Embedded Image on Flash Media for Diskless (634-BNJK), 3 System ordered as part of Multipack order (750-AADI), 3 System ordered as part of Multipack order (750-AADI), 3 Diskless Configuration (No RAID, No Controller) (780-BCDH), 3 On-Site Installation Declined (900-9997), 3 Thank you for choosing Dell ProSupport Plus. For tech support, visit <http://www.dell.com/contactdell> (971-7037), 3 Dell Limited Hardware Warranty Plus Service, Initial Years (815-2743), 3 ProSupport Plus Mission Critical: 4-Hour 7x24 On-Site Service with Emergency Dispatch, 3 Years (815-2768), 3 ProSupport Plus Mission Critical: 7x24 HW/SW Technical Support and Assistance, 5 Years (815-2773), 3 ProSupport Plus Mission Critical: 4-Hour 7x24 On-Site Service with Emergency Dispatch, 2 Years Extended (815-2772), 3 Dell Hardware Limited Warranty Plus On Site Service Extended Year (963-5582), 2 Dell PowerEdge FN410T I/O Module, 8x Internal to 4x 10GBASE-T external ports, Factory Installed (210-AHBR), 2 US Order (332-1286), 2 Software, Rights to use Full-Switch Mode, FN I/O Module (634-BFBL), 2 On-Site Installation Declined (900-9997), 2 Thank you for choosing Dell ProSupport Plus. For tech support, visit <http://www.dell.com/contactdell> (971-7037), 2 Dell Limited Hardware Warranty Plus Service, Initial Years (808-2455), 2 ProSupport Plus Mission Critical:4-Hour 7x24 Onsite Service with Emergency Dispatch, 3 Years (808-2677), 2 ProSupport Plus Mission Critical:7x24 HW/SW Technical Support and Assistance, 5 Years (808-2709), 2 ProSupport Plus Mission Critical:4-Hour 7x24 Onsite Service with Emergency Dispatch, 2 Years Extended (808-2669), 2 Dell Hardware Limited Warranty Plus On Site Service Extended Year (963-5582).

1 SCv3000 3Ux16 Drive Storage Array (210-ALVH), 1 US Order (332-1286), 1 SHIP,SCV3000,DAO (340-BRZD), 1 SC Bezel (350-BBKJ), 6 SC, 960GB, SAS, 12Gb, RI SSD, 2.5" HYB (400-ARSY), 10 SC, 6TB, SAS, 12Gb, 7.2K, 3.5" HDD (400-AVLB), 1 No Mezzanine Card (403-BBPD), 1 No Mezzanine Card (403-BBPD), 1 IO, 10Gb iSCSI, 4 port, PCI-E, Copper, Full height (406-BBLY), 1 IO, 10Gb iSCSI, 4 port, PCI-E, Copper, Full height (406-BBLY), 1 SCv30X0 Dual Controller Components (449-BBLE), 2 Power Cord, 250V, 16A, C19 to C20, 2 feet (450-AFEF), 1 Redundant Power Supply, 1378W, C20 (450-AGJN), 1 Storage Center Core Software Bundle, Base License (634-BJUI), 1 SSN License (634-BKCL), 1 Storage Optimization Bundle, Software License (Includes: Data Progression, Fast Track) (634-BKCM), 1 Rack rail, 2Us, Static (770-BBUJ), 1 On-Site Installation Declined (900-9997), 1 Thank you for choosing Dell ProSupport Plus. For tech support, visit <http://www.dell.com/contactdell> (971-7037), 1 Dell Hardware Limited Warranty (814-4998), 1 ProSupport Plus Mission Critical: 4-Hour 7x24 On-Site Service with Emergency Dispatch, 3 Years (814-5112), 1 ProSupport Plus Mission Critical: 7x24 HW/SW Tech Support and Assistance, 5 Years (814-5122), 1 ProSupport for Software: 7X24 Storage Center Optimization Bundle, 5 Years (815-3748), 1 ProSupport Plus Mission Critical: 4-Hour 7x24 On-Site Service with Emergency Dispatch, 2 Years Extended (814-5108), 1 Dell Limited Hardware Warranty Extended Year(s) (975-3461).

**JUNTA DE AGUA POTABLE, DRENAJE, ALCANTARILLADO
Y SANEAMIENTO DEL MUNICIPIO DE IRAPUATO**

Bldv. Juan José Torres Landa no. 1720, Col. Independencia
C.P. 36559, Irapuato, Gto. 01 (462) 606 91 00
www.japami.gob.mx



2 Dell Networking N4032, 24x 10GBASE-T Ports, 1x Modular Bay, 2x AC PSU, 10 to PSU 1 8 Airflow (210-ABVS), 2 US Order (332-1286), 2 Documentation Kit, N4000 Series Switch (340-AGNR), 2 QSFP+ 40GbE Module, 2-Port, Hot Swap, used for 40GbE Uplink, Stacking, or 8x 10GbE Breakout (409-BBCP), 2 Power Cord, 125V, 15A, 10 Feet, NEMA 5-15/C13 (450-AAFH), 2 Power Cord, 125V, 15A, 10 Feet, NEMA 5-15/C13 (450-AAFH), 2 Dell Networking, Cable, QSFP+ to QSFP+, 40GbE Passive Copper Direct Attach Cable, 1 Meter (470-AAFE), 2 On-Site Installation Declined (900-9997), 2 SW Support, NW, 90 Day (966-9813), 2 Thank you for choosing Dell ProSupport Plus. For tech support, visit <http://www.dell.com/contactdell> (971-7037), 2 Dell Limited Hardware Warranty, Initial Year (966-9801), 2 Lifetime Limited Hardware Warranty with Basic Hardware Service Next Business Day Parts Only on your Power Connect Switch (966-9807), 2 ProSupport Plus: Mission Critical 4-Hour 7x24 On-Site Service with Emergency Dispatch, Initial Year (966-9994), 2 ProSupport Plus: 7x24 HW/SW Tech Support and Assistance, 5Year (973-9367), 2 Dell Hardware Limited Warranty Extended Year(s) (966-9803), 2 ProSupport Plus: Mission Critical 4-Hour 7x24 On-Site Service with Emergency Dispatch, 4 Year Extended (973-9331).

1 BUNDLE KIT 10 KVM ANALOGO 8PT Y KMM (A9860533) (incluye: 1 8-port APC KVM 2G Analog-KVM switch - CAT5 - 8 x

KVM port(s) - 1 local user - rack-mountable, 1 RACK 19IN LCD CONSOLE, 1 APC Server Module - KVM extender - USB - for

KVM 2G Enterprise analog, Enterprise Digital/IP).

1 BUNDLE APC KIT 4 GABINETE Y UPS ONLINE 5KVA (A9855624), 1 Installation of a Dell PowerEdge Rack (926-6439)

(Incluye: 1 Dell Netshelter SX 42U Rack - 600mm Wide x 1070mm Deep, 2 American Power Conversion AR8442 Zero U Vertical

Cable Organizer for Netshelter Racks, 1 Dell APC SMART-UPS SRT 5000VA RM 208 6KVA RM BATTERY PACK, 2 American

Power Conversion AP7541 Zero U Basic Rack Power Distribution Unit, 1 Installation of a Dell PowerEdge Rack).

- Configuración, instalación y puesta en marcha. Deberán presentar pruebas de "Alta disponibilidad", deberán entregar manual de usuario.
- Capacitación sobre la instalación, configuración y puesta en marcha a personal de TIC de JAPAMI.
- Garantía del bien por el proveedor, mínima de 3 años;

La adquisición se realizara a través de un procedimiento de Licitación Restringida por parte del Comité de Adquisiciones enajenaciones, arrendamientos y servicios.

RECEPCION DE PROPUESTAS TECNICAS Y ECONOMICAS:

- Del **29 de mayo al 4 de junio del 2018** de 09:00 a las 15:00 horas,
- En el módulo de oficialía de partes de las oficinas centrales de JAPAMI, ubicadas en Juan José Torres Landa no. 1720, Col. Independencia, Irapuato, Gto.
- Con atención al Ing. Humberto Javier Rosiles Álvarez Director General de Japami.

REQUISITOS PARA LA PRESENTACIÓN DE LA PROPUESTA TÉCNICA Y ECONÓMICA.

- Deberá entregarse en sobre cerrado en hoja membretada y firma autógrafa en original por el representante legal.
- Su propuesta económica deberá ser en moneda nacional con IVA desglosado;
- Vigencia de la propuesta;

PERIODO DE ENTREGA DE LOS BIENES.

- 10 (diez) Semanas para la entrega y puesta en marcha, a partir de la firma del contrato.

Deberá apegarse justa, exacta y cabalmente a los requisitos y especificaciones del bien enunciado.

CONDICIONES DE PAGO

- Se podrá otorgar un anticipo, a solicitud del proveedor, máximo del 50%.
- Se efectuara el pago del monto restante que corresponda una vez hecha la entrega dentro de los 10 días hábiles posteriores de haber recibido el equipo de conformidad por parte del Director de Tecnologías de la Información y Comunicación y el Director de Adquisiciones y Almacén de Japami.

CONTRATO Y GARANTIAS

El proveedor adjudicado deberá de formalizar la celebración del contrato, dentro de los diez días hábiles posteriores a la notificación del fallo tomado por el comité.

En caso de requerir anticipo, deberá entregar una garantía por el 100% del monto otorgado como anticipo.

Deberá entregar una garantía de cumplimiento por el 10% del monto total contratado.

Se aceptara exclusivamente como garantía fianza o cheque certificado.

Deberá entregar una garantía de vicios ocultos, previamente a la recepción de los bienes, **EL PROVEEDOR** se obliga a constituir una fianza por el equivalente al 10% diez por ciento del monto total del contrato sin incluir el I.V.A., a efecto de responder de los defectos que resultaren en los mismos, de los vicios ocultos y de cualquier responsabilidad en que hubiere incurrido de conformidad con lo establecido en este contrato y en la legislación aplicable. Esta garantía tendrá una vigencia de 12 meses a partir de la entrega-recepción de los bienes.

CAUSAS PARA DESECHAR LAS PROPUESTAS

5. Que sus características se oferten de manera incompleta, diferente, o que no indiquen datos de identificación, cantidad, descripción, marca, modelo, unidad de medida o demás solicitadas.
6. Las que rebasen la base para el precio no aceptable.

CAUSAS PARA DECLARAR DESIERTO EL PROCEDIMIENTO DE ADJUDICACIÓN.

3. Si el acto de apertura de ofertas no se cuenta por lo menos con tres propuestas a sobre cerrado que cumplan con los requisitos establecidos en la invitación.

Para aclarar cualquier duda respecto a la descripción de lo solicitado, favor de comunicarse a la dirección de correo electrónico:

ksandoval@japami.gob.mx, maperez@japami.gob.mx, jnieto@japami.gob.mx, y/o al teléfono (462) 6069100 extensión 110, 133,146 y149 con atención a la Lic. Karina Sandoval Rodríguez, Ing. Marco Antonio Perez Martínez, y/o C.P. Jeronimo Nieto Martinez.

ATENTAMENTE

"Tu agua, Tu entorno"

Ing. Humberto Javier Rosiles Álvarez
Director General

C.c.p.- Karina Sandoval Rodríguez.-Gerente Administrativa.- Mismo fin
Jerónimo Nieto Martínez.- Director de Adquisiciones y Almacén.- Mismo fin
Marco Antonio Perez Martínez.- Director de Tecnologías de la Información y Comunicación.- Mismo Fin
Ma. Del Carmen Barajas Zepeda.- Coordinador Jurídico
Archivo.

**JUNTA DE AGUA POTABLE, DRENAJE, ALCANTARILLADO
Y SANEAMIENTO DEL MUNICIPIO DE IRAPUATO**

Bldv. Juan José Torres Landa no. 1720, Col. Independencia
C.P. 36559, Irapuato, Gto. 01 (462) 606 91 00
www.japami.gob.mx



IRAPUATO
MEJOR CIUDAD
2015 - 2018

No.	1906
Expediente	CCS/2018
Asunto	Solicitud de cotización.

Irapuato, Gto. 23 de Mayo de 2018

Telecomunicaciones Modernas del Bajío, S.A. de C.V.

Blvd. Mariano Escobedo No. 4127 Ote

Colonia: san Isidro C.P.37530

León, Gto.

awancho@telecom.com.mx

Presente.

At`n: C. Ing. Alfonso Hernandez.

Sirva el presente para invitarle a participar en el procedimiento para la adquisición de un servidor para el área de Tecnologías de Información y Comunicación cuyas características mínimas se detallan a continuación:

- Servidor que incluya: 1 PowerEdge FX2 (210-ABUX), 1 Serial I/O Management Cable, for Ethernet Blade Switches (310-9696), 1 PowerEdge FX2 Chassis for up to 4 Half-Width Nodes (321-BBFM), 1 FX2 Half-Width Node Filler Blank (321-BBFT), 1 FX2S Chassis Configuration Label (321-BBFZ), 1 PowerEdge FX2S Chassis Configuration with Flexible IO (up to 8 PCIe Slots) (321-BBGH), 1 US Order (332-1286), 1 PowerEdge FX2 Shipping (340-AGKB), 1 PowerEdge FN I/O Module User Documentation (340-AKBN), 1 User Guide, Fx2 chassis (343-BBBW), 1 Flex Address Plus Enabled,8GB (385-BBJR), 1 No Media Required (421-5736), 1 Power Supply, Redundancy Alerting Enabled Configuration (450-ADTZ), 1 Dual, Hot-plug, Redundant Power Supply, 2000W, C19/C20 Power Cord Required for Use (450-AENU), 2 Power Cord, C20 to C19, PDU Style, 16A, 250V, 2ft (0.6m) (492-BBEI), 1 Redundant Ethernet Switch Configuration (540-BBQM), 1 CMC Enterprise for FX2 (634-0287), 1 FX2 ReadyRails Sliding Rails (770-BBER), 1 Onsite Installation Declined (911-0418), 1 Dell Proactive Systems Management - Declined - www.dell.com/Proactive (923-7489), 1 Thank you for choosing Dell ProSupport Plus. For tech support, visit <http://www.dell.com/contactdell> (971-7037), 1 Declined Remote Consulting Service (973-2873), 1 Dell Limited Hardware Warranty Plus Service,Initial Year (974-2754), 1 ProSupport Plus: Mission Critical 4-Hour 7x24 On-Site Service with Emergency Dispatch, Initial Year (974-2856), 1 ProSupport Plus: 7x24 HW/SW Tech Support and Assistance, 5Year (974-2865), 1 Dell Limited Hardware Warranty Plus Service,Extended Year(s) (974-2755), 1 ProSupport Plus: Mission Critical 4-Hour 7x24 On-Site Service with Emergency Dispatch, 4 Year Extended (974-2859), 3 PowerEdge FC640 Server Node (210-ALYN), 3 Chassis with up to 2 PCIe SSD or SATA Hard Drives (Diskless, No Raid, or SW Raid only) (321-BCTY), 3 US Order (332-1286), 3 Intel Xeon Gold 6136 3.0G, 12C/24T, 10.4GT/s , 24.75M Cache, Turbo, HT (150W) DDR4-2666 (338-BLMG), 3 Performance Optimized (370-AAIP), 18 32GB RDIMM 2666MT/s Dual Rank (370-ADNF), 3 2666MT/s RDIMMs (370-ADNU), 3 Intel Xeon Gold 6136 3.0G, 12C/24T, 10.4GT/s , 24.75M Cache, Turbo, HT (150W) DDR4-2666 (374-BBOB), 3 iDRAC Group Manager, Enabled (379-BCQV), 3 Performance BIOS Settings (384-BBBL),

JUNTA DE AGUA POTABLE, DRENAJE, ALCANTARILLADO Y SANEAMIENTO DEL MUNICIPIO DE IRAPUATO

Blvd. Juan José Torres Landa no. 1720, Col. Independencia
C.P. 36559, Irapuato, Gto. 01 (462) 606 91 00
www.japami.gob.mx





IRAPUATO
MEJOR CIUDAD
2015 - 2018

3 iDRAC9, Enterprise (385-BBKT), 3 Internal Dual SD Module with 2x 16GB SD Card (385-BBMG), 3 PowerEdge FC640 Regulatory Label, DAO (389-CFVE), 3 No Controller (405-AAACD), 3 2 CPU Heatsink (412-AAJM), 3 No Media Required (421-5736), 3 No Trusted Platform Module (461-AADZ), 3 PowerEdge FC PCIE Mezzanine Adapter (492-BBQT), 3 OME Server Configuration Management (528-BBWT), 3 Broadcom 57416 Dual Port 10Gb, Base-T, PCIe Adapter, Low Profile (540-BBVJ), 3 QLogic 57810-k Dual port 10Gb KR CNA Blade Network Daughter Card (542-BBBN), 3 No Systems Documentation, No OpenManage DVD Kit (631-AACK), 3 VMware ESXi 6.5 U1 Embedded Image on Flash Media for Diskless (634-BNJK), 3 System ordered as part of Multipack order (750-AADI), 3 System ordered as part of Multipack order (750-AADI), 3 Diskless Configuration (No RAID, No Controller) (780-BCDH), 3 On-Site Installation Declined (900-9997), 3 Thank you for choosing Dell ProSupport Plus. For tech support, visit <http://www.dell.com/contactdell> (971-7037), 3 Dell Limited Hardware Warranty Plus Service, Initial Years (815-2743), 3 ProSupport Plus Mission Critical: 4-Hour 7x24 On-Site Service with Emergency Dispatch, 3 Years (815-2768), 3 ProSupport Plus Mission Critical: 7x24 HW/SW Technical Support and Assistance, 5 Years (815-2773), 3 ProSupport Plus Mission Critical: 4-Hour 7x24 On-Site Service with Emergency Dispatch, 2 Years Extended (815-2772), 3 Dell Hardware Limited Warranty Plus On Site Service Extended Year (963-5582), 2 Dell PowerEdge FN410T I/O Module, 8x Internal to 4x 10GBASE-T external ports, Factory Installed (210-AHBR), 2 US Order (332-1286), 2 Software, Rights to use Full-Switch Mode, FN I/O Module (634-BFBL), 2 On-Site Installation Declined (900-9997), 2 Thank you for choosing Dell ProSupport Plus. For tech support, visit <http://www.dell.com/contactdell> (971-7037), 2 Dell Limited Hardware Warranty Plus Service, Initial Years (808-2455), 2 ProSupport Plus Mission Critical: 4-Hour 7x24 Onsite Service with Emergency Dispatch, 3 Years (808-2677), 2 ProSupport Plus Mission Critical: 7x24 HW/SW Technical Support and Assistance, 5 Years (808-2709), 2 ProSupport Plus Mission Critical: 4-Hour 7x24 Onsite Service with Emergency Dispatch, 2 Years Extended (808-2669), 2 Dell Hardware Limited Warranty Plus On Site Service Extended Year (963-5582).
1 SCv3000 3Ux16 Drive Storage Array (210-ALVH), 1 US Order (332-1286), 1 SHIP, SCV3000, DAO (340-BRZD), 1 SC Bezel (350-BBKJ), 6 SC, 960GB, SAS, 12Gb, RI SSD, 2.5" HYB (400-ARSY), 10 SC, 6TB, SAS, 12Gb, 7.2K, 3.5" HDD (400-AVLB), 1 No Mezzanine Card (403-BBPD), 1 No Mezzanine Card (403-BBPD), 1 IO, 10Gb iSCSI, 4 port, PCI-E, Copper, Full height (406-BBLY), 1 IO, 10Gb iSCSI, 4 port, PCI-E, Copper, Full height (406-BBLY), 1 SCv30X0 Dual Controller Components (449-BBLE), 2 Power Cord, 250V, 16A, C19 to C20, 2 feet (450-AFEF), 1 Redundant Power Supply, 1378W, C20 (450-AGJN), 1 Storage Center Core Software Bundle, Base License (634-BJUI), 1 SSN License (634-BKCL), 1 Storage Optimization Bundle, Software License (Includes: Data Progression, Fast Track) (634-BKCM), 1 Rack rail, 2Us, Static (770-BBUJ), 1 On-Site Installation Declined (900-9997), 1 Thank you for choosing Dell ProSupport Plus. For tech support, visit <http://www.dell.com/contactdell> (971-7037), 1 Dell Hardware Limited Warranty (814-4998), 1 ProSupport Plus Mission Critical: 4-Hour 7x24 On-Site Service with Emergency Dispatch, 3 Years (814-5112), 1 ProSupport Plus Mission Critical: 7x24 HW/SW Tech Support and Assistance, 5 Years (814-5122), 1 ProSupport for Software: 7X24 Storage Center Optimization Bundle, 5 Years (815-3748), 1 ProSupport Plus Mission Critical: 4-Hour 7x24 On-Site Service with Emergency Dispatch, 2 Years Extended (814-5108), 1 Dell Limited Hardware Warranty Extended Year(s) (975-3461).

**JUNTA DE AGUA POTABLE, DRENAJE, ALCANTARILLADO
Y SANEAMIENTO DEL MUNICIPIO DE IRAPUATO**

Blvd. Juan José Torres Landa no. 1720, Col. Independencia
C.P. 36559, Irapuato, Gto. 01 (462) 606 91 00
www.japami.gob.mx





IRAPUATO
MEJOR CIUDAD
2015 - 2018

2 Dell Networking N4032, 24x 10GBASE-T Ports, 1x Modular Bay, 2x AC PSU, IO to PSU Airflow (210-ABVS), 2 US Order (332-1286), 2 Documentation Kit, N4000 Series Switch (340-AGNR), 2 QSFP+ 40GbE Module, 2-Port, Hot Swap, used for 40GbE Uplink, Stacking, or 8x 10GbE Breakout (409-BBCP), 2 Power Cord, 125V, 15A, 10 Feet, NEMA 5-15/C13 (450-AAFH), 2 Power Cord, 125V, 15A, 10 Feet, NEMA 5-15/C13 (450-AAFH), 2 Dell Networking, Cable, QSFP+ to QSFP+, 40GbE Passive Copper Direct Attach Cable, 1 Meter (470-AAFE), 2 On-Site Installation Declined (900-9997), 2 SW Support, NW, 90 Day (966-9813), 2 Thank you for choosing Dell ProSupport Plus. For tech support, visit <http://www.dell.com/contactdell> (971-7037), 2 Dell Limited Hardware Warranty, Initial Year (966-9801), 2 Lifetime Limited Hardware Warranty with Basic Hardware Service Next Business Day Parts Only on your Power Connect Switch (966-9807), 2 ProSupport Plus: Mission Critical 4-Hour 7x24 On-Site Service with Emergency Dispatch, Initial Year (966-9994), 2 ProSupport Plus: 7x24 HW/SW Tech Support and Assistance, 5Year (973-9367), 2 Dell Hardware Limited Warranty Extended Year(s) (966-9803), 2 ProSupport Plus: Mission Critical 4-Hour 7x24 On-Site Service with Emergency Dispatch, 4 Year Extended (973-9331).

1 BUNDLE KIT 10 KVM ANALOGO 8PT Y KMM (A9860533) (incluye: 1 8-port APC KVM 2G Analog-KVM switch - CAT5 - 8 x

KVM port(s) - 1 local user - rack-mountable, 1 RACK 19IN LCD CONSOLE, 1 APC Server Module - KVM extender - USB - for

KVM 2G Enterprise analog, Enterprise Digital/IP).

1 BUNDLE APC KIT 4 GABINETE Y UPS ONLINE 5KVA (A9855624), 1 Installation of a Dell PowerEdge Rack (926-6439)

(Incluye: 1 Dell Netshelter SX 42U Rack - 600mm Wide x 1070mm Deep, 2 American Power Conversion AR8442 Zero U Vertical

Cable Organizer for Netshelter Racks, 1 Dell APC SMART-UPS SRT 5000VA RM 208 6KVA RM BATTERY PACK, 2 American

Power Conversion AP7541 Zero U Basic Rack Power Distribution Unit, 1 Installation of a Dell PowerEdge Rack).

- Configuración, instalación y puesta en marcha. Deberán presentar pruebas de "Alta disponibilidad", deberán entregar manual de usuario.
- Capacitación sobre la instalación, configuración y puesta en marcha a personal de TIC de JAPAMI.
- Garantía del bien por el proveedor, mínima de 3 años;

La adquisición se realizara a través de un procedimiento de Licitación Restringida por parte del Comité de Adquisiciones enajenaciones, arrendamientos y servicios.

RECEPCION DE PROPUESTAS TECNICAS Y ECONOMICAS:

- Del **29 de mayo al 4 de junio del 2018** de 09:00 a las 15:00 horas,
- En el módulo de oficialía de partes de las oficinas centrales de JAPAMI, ubicadas en Juan José Torres Landa no. 1720, Col. Independencia, Irapuato, Gto.
- Con atención al Ing. Humberto Javier Rosiles Álvarez Director General de Japami.

**JUNTA DE AGUA POTABLE, DRENAJE, ALCANTARILLADO
Y SANEAMIENTO DEL MUNICIPIO DE IRAPUATO**

Blvd. Juan José Torres Landa no. 1720, Col. Independencia
C.P. 36559, Irapuato, Gto. 01 (462) 606 91 00
www.japami.gob.mx



REQUISITOS PARA LA PRESENTACIÓN DE LA PROPUESTA TÉCNICA Y ECONÓMICA.

- Deberá entregarse en sobre cerrado en hoja membretada y firma autógrafa en original por el representante legal.
- Su propuesta económica deberá ser en moneda nacional con IVA desglosado;
- Vigencia de la propuesta;

PERIODO DE ENTREGA DE LOS BIENES.

- 10 (diez) Semanas para la entrega y puesta en marcha, a partir de la firma del contrato.

Deberá apegarse justa, exacta y cabalmente a los requisitos y especificaciones del bien enunciado.

CONDICIONES DE PAGO

- Se podrá otorgar un anticipo, a solicitud del proveedor, máximo del 50%.
- Se efectuara el pago del monto restante que corresponda una vez hecha la entrega dentro de los 10 días hábiles posteriores de haber recibido el equipo de conformidad por parte del Director de Tecnologías de la Información y Comunicación y el Director de Adquisiciones y Almacén de Japami.

CONTRATO Y GARANTIAS

El proveedor adjudicado deberá de formalizar la celebración del contrato, dentro de los diez días hábiles posteriores a la notificación del fallo tomado por el comité.

En caso de requerir anticipo, deberá entregar una garantía por el 100% del monto otorgado como anticipo.

Deberá entregar una garantía de cumplimiento por el 10% del monto total contratado.

Se aceptara exclusivamente como garantía fianza o cheque certificado.

Deberá entregar una garantía de vicios ocultos, previamente a la recepción de los bienes, **EL PROVEEDOR** se obliga a constituir una fianza por el equivalente al 10% diez por ciento del monto total del contrato sin incluir el I.V.A., a efecto de responder de los defectos que resultaren en los mismos, de los vicios ocultos y de cualquier responsabilidad en que hubiere incurrido de conformidad con lo establecido en este contrato y en la legislación aplicable. Esta garantía tendrá una vigencia de 12 meses a partir de la entrega-recepción de los bienes.

CAUSAS PARA DESECHAR LAS PROPUESTAS

7. Que sus características se oferten de manera incompleta, diferente, o que no indiquen datos de identificación, cantidad, descripción, marca, modelo, unidad de medida o demás solicitadas.
8. Las que rebasen la base para el precio no aceptable.

CAUSAS PARA DECLARAR DESIERTO EL PROCEDIMIENTO DE ADJUDICACIÓN.

4. Si el acto de apertura de ofertas no se cuenta por lo menos con tres propuestas a sobre cerrado que cumplan con los requisitos establecidos en la invitación.

Para aclarar cualquier duda respecto a la descripción de lo solicitado, favor de comunicarse a la dirección de correo electrónico:

ksandoval@japami.gob.mx, maperez@japami.gob.mx, jnieto@japami.gob.mx, y/o al teléfono (462) 6069100 extensión 110, 133,146 y149 con atención a la Lic. Karina Sandoval Rodríguez, Ing. Marco Antonio Perez Martínez, y/o C.P. Jeronimo Nieto Martinez.

ATENTAMENTE
"Tu agua, Tu entorno"

Ing. Humberto Javier Rosiles Álvarez
Director General

C.c.p.- Karina Sandoval Rodríguez.-Gerente Administrativa.- Mismo fin
Jerónimo Nieto Martínez.- Director de Adquisiciones y Almacén.- Mismo fin
Marco Antonio Perez Martínez.- Director de Tecnologías de la Información y Comunicación.- Mismo Fin
Ma. Del Carmen Barajas Zepeda.- Coordinador Jurídico
Archivo.

**JUNTA DE AGUA POTABLE, DRENAJE, ALCANTARILLADO
Y SANEAMIENTO DEL MUNICIPIO DE IRAPUATO**

Bldv. Juan José Torres Landa no. 1720, Col. Independencia
C.P. 36559, Irapuato, Gto. 01 (462) 606 91 00
www.japami.gob.mx





IRAPUATO
MEJOR CIUDAD
2015 - 2018

No.	1907
Expediente	CCS/2018
Asunto	Solicitud de cotización.

Irapuato, Gto. 23 de Mayo de 2018

BUSINESS CONEXION MEXICO SA DE CV

Cracovia #72, piso 3, APO 02

Colonia: San Ángel, 01000

México, Ciudad De México

info@businessconexion.com.mx

Presente.

Sirva el presente para invitarle a participar en el procedimiento para la adquisición de un servidor para el área de Tecnologías de Información y Comunicación cuyas características mínimas se detallan a continuación:

- Servidor que incluya: 1 PowerEdge FX2 (210-ABUX), 1 Serial I/O Management Cable, for Ethernet Blade Switches (310-9696), 1 PowerEdge FX2 Chassis for up to 4 Half-Width Nodes (321-BBFM), 1 FX2 Half-Width Node Filler Blank (321-BBFT), 1 FX2S Chassis Configuration Label (321-BBFZ), 1 PowerEdge FX2S Chassis Configuration with Flexible IO (up to 8 PCIe Slots) (321-BBGH), 1 US Order (332-1286), 1 PowerEdge FX2 Shipping (340-AGKB), 1 PowerEdge FN I/O Module User Documentation (340-AKBN), 1 User Guide, Fx2 chassis (343-BBBW), 1 Flex Address Plus Enabled, 8GB (385-BBJR), 1 No Media Required (421-5736), 1 Power Supply, Redundancy Alerting Enabled Configuration (450-ADTZ), 1 Dual, Hot-plug, Redundant Power Supply, 2000W, C19/C20 Power Cord Required for Use (450-AENU), 2 Power Cord, C20 to C19, PDU Style, 16A, 250V, 2ft (0.6m) (492-BBEI), 1 Redundant Ethernet Switch Configuration (540-BBQM), 1 CMC Enterprise for FX2 (634-0287), 1 FX2 ReadyRails Sliding Rails (770-BBER), 1 Onsite Installation Declined (911-0418), 1 Dell Proactive Systems Management - Declined - www.dell.com/Proactive (923-7489), 1 Thank you for choosing Dell ProSupport Plus. For tech support, visit <http://www.dell.com/contactdell> (971-7037), 1 Declined Remote Consulting Service (973-2873), 1 Dell Limited Hardware Warranty Plus Service, Initial Year (974-2754), 1 ProSupport Plus: Mission Critical 4-Hour 7x24 On-Site Service with Emergency Dispatch, Initial Year (974-2856), 1 ProSupport Plus: 7x24 HW/SW Tech Support and Assistance, 5Year (974-2865), 1 Dell Limited Hardware Warranty Plus Service, Extended Year(s) (974-2755), 1 ProSupport Plus: Mission Critical 4-Hour 7x24 On-Site Service with Emergency Dispatch, 4 Year Extended (974-2859), 3 PowerEdge FC640 Server Node (210-ALYN), 3 Chassis with up to 2 PCIe SSD or SATA Hard Drives (Diskless, No Raid, or SW Raid only) (321-BCTY), 3 US Order (332-1286), 3 Intel Xeon Gold 6136 3.0G, 12C/24T, 10.4GT/s, 24.75M Cache, Turbo, HT (150W) DDR4-2666 (338-BLMG), 3 Performance Optimized (370-AAIP), 18 32GB RDIMM 2666MT/s Dual Rank (370-ADNF), 3 2666MT/s RDIMMs (370-ADNU), 3 Intel Xeon Gold 6136 3.0G, 12C/24T, 10.4GT/s, 24.75M Cache, Turbo, HT (150W) DDR4-2666 (374-BBOB), 3 iDRAC Group Manager, Enabled (379-BCQV), 3 Performance BIOS Settings (384-BBBL),

JUNTA DE AGUA POTABLE, DRENAJE, ALCANTARILLADO Y SANEAMIENTO DEL MUNICIPIO DE IRAPUATO

Blvd. Juan José Torres Landa no. 1720, Col. Independencia
C.P. 36559, Irapuato, Gto. 01 (462) 606 91 00
www.japami.gob.mx





3 iDRAC9,Enterprise (385-BBKT), 3 Internal Dual SD Module with 2x 16GB SD Card (385-BBMG), 3 PowerEdge FC640 Regulatory Label, DAO (389-CFVE), 3 No Controller (405-AACD), 3 2 CPU Heatsink (412-AAJM), 3 No Media Required (421-5736), 3 No Trusted Platform Module (461-AADZ), 3 PowerEdge FC PCIE Mezzanine Adapter (492-BBQT), 3 OME Server Configuration Management (528-BBWT), 3 Broadcom 57416 Dual Port 10Gb, Base-T, PCIe Adapter, Low Profile (540-BBVJ), 3 QLogic 57810-k Dual port 10Gb KR CNA Blade Network Daughter Card (542-BBBN), 3 No Systems Documentation, No OpenManage DVD Kit (631-AACK), 3 VMware ESXi 6.5 U1 Embedded Image on Flash Media for Diskless (634-BNJK), 3 System ordered as part of Multipack order (750-AADI), 3 System ordered as part of Multipack order (750-AADI), 3 Diskless Configuration (No RAID, No Controller) (780-BCDH), 3 On-Site Installation Declined (900-9997), 3 Thank you for choosing Dell ProSupport Plus. For tech support, visit <http://www.dell.com/contactdell> (971-7037), 3 Dell Limited Hardware Warranty Plus Service, Initial Years (815-2743), 3 ProSupport Plus Mission Critical: 4-Hour 7x24 On-Site Service with Emergency Dispatch, 3 Years (815-2768), 3 ProSupport Plus Mission Critical: 7x24 HW/SW Technical Support and Assistance, 5 Years (815-2773), 3 ProSupport Plus Mission Critical: 4-Hour 7x24 On-Site Service with Emergency Dispatch, 2 Years Extended (815-2772), 3 Dell Hardware Limited Warranty Plus On Site Service Extended Year (963-5582), 2 Dell PowerEdge FN410T I/O Module, 8x Internal to 4x 10GBASE-T external ports, Factory Installed (210-AHBR), 2 US Order (332-1286), 2 Software, Rights to use Full-Switch Mode, FN I/O Module (634-BFBL), 2 On-Site Installation Declined (900-9997), 2 Thank you for choosing Dell ProSupport Plus. For tech support, visit <http://www.dell.com/contactdell> (971-7037), 2 Dell Limited Hardware Warranty Plus Service, Initial Years (808-2455), 2 ProSupport Plus Mission Critical:4-Hour 7x24 Onsite Service with Emergency Dispatch, 3 Years (808-2677), 2 ProSupport Plus Mission Critical:7x24 HW/SW Technical Support and Assistance, 5 Years (808-2709), 2 ProSupport Plus Mission Critical:4-Hour 7x24 Onsite Service with Emergency Dispatch, 2 Years Extended (808-2669), 2 Dell Hardware Limited Warranty Plus On Site Service Extended Year (963-5582).
1 SCv3000 3Ux16 Drive Storage Array (210-ALVH), 1 US Order (332-1286), 1 SHIP,SCV3000,DAO (340-BRZD), 1 SC Bezel (350-BBKJ), 6 SC, 960GB, SAS, 12Gb, RI SSD, 2.5" HYB (400-ARSY), 10 SC, 6TB, SAS, 12Gb, 7.2K, 3.5" HDD (400-AVLB), 1 No Mezzanine Card (403-BBPD), 1 No Mezzanine Card (403-BBPD), 1 IO, 10Gb iSCSI, 4 port, PCI-E, Copper, Full height (406-BBLY), 1 IO, 10Gb iSCSI, 4 port, PCI-E, Copper, Full height (406-BBLY), 1 SCv30X0 Dual Controller Components (449-BBLE), 2 Power Cord, 250V, 16A, C19 to C20, 2 feet (450-AFEF), 1 Redundant Power Supply, 1378W, C20 (450-AGJN), 1 Storage Center Core Software Bundle, Base License (634-BJUI), 1 SSN License (634-BKCL), 1 Storage Optimization Bundle, Software License (Includes: Data Progression, Fast Track) (634-BKCM), 1 Rack rail, 2Us, Static (770-BBUJ), 1 On-Site Installation Declined (900-9997), 1 Thank you for choosing Dell ProSupport Plus. For tech support, visit <http://www.dell.com/contactdell> (971-7037), 1 Dell Hardware Limited Warranty (814-4998), 1 ProSupport Plus Mission Critical: 4-Hour 7x24 On-Site Service with Emergency Dispatch, 3 Years (814-5112), 1 ProSupport Plus Mission Critical: 7x24 HW/SW Tech Support and Assistance, 5 Years (814-5122), 1 ProSupport for Software: 7X24 Storage Center Optimization Bundle, 5 Years (815-3748), 1 ProSupport Plus Mission Critical: 4-Hour 7x24 On-Site Service with Emergency Dispatch, 2 Years Extended (814-5108), 1 Dell Limited Hardware Warranty Extended Year(s) (975-3461).

**JUNTA DE AGUA POTABLE, DRENAJE, ALCANTARILLADO
Y SANEAMIENTO DEL MUNICIPIO DE IRAPUATO**

Blvd. Juan José Torres Landa no. 1720, Col. Independencia
C.P. 36559, Irapuato, Gto. 01 (462) 606 91 00
www.japami.gob.mx





2 Dell Networking N4032, 24x 10GBASE-T Ports, 1x Modular Bay, 2x AC PSU, IO to PSU Airflow (210-ABVS), 2 US Order (332-1286), 2 Documentation Kit, N4000 Series Switch (340-AGNR), 2 QSFP+ 40GbE Module, 2-Port, Hot Swap, used for 40GbE Uplink, Stacking, or 8x 10GbE Breakout (409-BBCP), 2 Power Cord, 125V, 15A, 10 Feet, NEMA 5-15/C13 (450-AAFH), 2 Power Cord, 125V, 15A, 10 Feet, NEMA 5-15/C13 (450-AAFH), 2 Dell Networking, Cable, QSFP+ to QSFP+, 40GbE Passive Copper Direct Attach Cable, 1 Meter (470-AAFE), 2 On-Site Installation Declined (900-9997), 2 SW Support,NW,90 Day (966-9813), 2 Thank you for choosing Dell ProSupport Plus. For tech support, visit <http://www.dell.com/contactdell> (971-7037), 2 Dell Limited Hardware Warranty,Initial Year (966-9801), 2 Lifetime Limited Hardware Warranty with Basic Hardware Service Next Business Day Parts Only on your Power Connect Switch (966-9807), 2 ProSupport Plus: Mission Critical 4-Hour 7x24 On-Site Service with Emergency Dispatch, Initial Year (966-9994), 2 ProSupport Plus: 7x24 HW/SW Tech Support and Assistance, 5Year (973-9367), 2 Dell Hardware Limited Warranty Extended Year(s) (966-9803), 2 ProSupport Plus: Mission Critical 4-Hour 7x24 On-Site Service with Emergency Dispatch, 4 Year Extended (973-9331).

1 BUNDLE KIT 10 KVM ANALOGO 8PT Y KMM (A9860533) (incluye: 1 8-port APC KVM 2G Analog-KVM switch - CAT5 - 8 x

KVM port(s) - 1 local user - rack-mountable, 1 RACK 19IN LCD CONSOLE, 1 APC Server Module - KVM extender - USB - for

KVM 2G Enterprise analog, Enterprise Digital/IP).

1 BUNDLE APC KIT 4 GABINETE Y UPS ONLINE 5KVA (A9855624), 1 Installation of a Dell PowerEdge Rack (926-6439)

(Incluye: 1Dell Netshelter SX 42U Rack - 600mm Wide x 1070mm Deep, 2 American Power Conversion AR8442 Zero U Vertical

Cable Organizer for Netshelter Racks, 1 Dell APC SMART-UPS SRT 5000VA RM 208 6KVA RM BATTERY PACK, 2 American

Power Conversion AP7541 Zero U Basic Rack Power Distribution Unit, 1 Installation of a Dell PowerEdge Rack).

- Configuración, instalación y puesta en marcha. Deberán presentar pruebas de "Alta disponibilidad", deberán entregar manual de usuario.
- Capacitación sobre la instalación, configuración y puesta en marcha a personal de TIC de JAPAMI.
- Garantía del bien por el proveedor, mínima de 3 años;

La adquisición se realizara a través de un procedimiento de Licitación Restringida por parte del Comité de Adquisiciones enajenaciones, arrendamientos y servicios.

RECEPCION DE PROPUESTAS TECNICAS Y ECONOMICAS:

- Del **29 de mayo al 4 de junio del 2018** de 09:00 a las 15:00 horas,
- En el módulo de oficialía de partes de las oficinas centrales de JAPAMI, ubicadas en Juan José Torres Landa no. 1720, Col. Independencia, Irapuato, Gto.
- Con atención al Ing. Humberto Javier Rosiles Álvarez Director General de Japami.

REQUISITOS PARA LA PRESENTACIÓN DE LA PROPUESTA TÉCNICA Y ECONÓMICA.

- Deberá entregarse en sobre cerrado en hoja membretada y firma autógrafa en original por el representante legal.
- Su propuesta económica deberá ser en moneda nacional con IVA desglosado;
- Vigencia de la propuesta;

PERIODO DE ENTREGA DE LOS BIENES.

- 10 (diez) Semanas para la entrega y puesta en marcha, a partir de la firma del contrato.

Deberá apegarse justa, exacta y cabalmente a los requisitos y especificaciones del bien enunciado.

CONDICIONES DE PAGO

- Se podrá otorgar un anticipo, a solicitud del proveedor, máximo del 50%.
- Se efectuara el pago del monto restante que corresponda una vez hecha la entrega dentro de los 10 días hábiles posteriores de haber recibido el equipo de conformidad por parte del Director de Tecnologías de la Información y Comunicación y el Director de Adquisiciones y Almacén de Japami.

CONTRATO Y GARANTIAS

El proveedor adjudicado deberá de formalizar la celebración del contrato, dentro de los diez días hábiles posteriores a la notificación del fallo tomado por el comité.

En caso de requerir anticipo, deberá entregar una garantía por el 100% del monto otorgado como anticipo.

Deberá entregar una garantía de cumplimiento por el 10% del monto total contratado.

Se aceptara exclusivamente como garantía fianza o cheque certificado.

Deberá entregar una garantía de vicios ocultos, previamente a la recepción de los bienes, **EL PROVEEDOR** se obliga a constituir una fianza por el equivalente al 10% diez por ciento del monto total del contrato sin incluir el I.V.A., a efecto de responder de los defectos que resultaren en los mismos, de los vicios ocultos y de cualquier responsabilidad en que hubiere incurrido de conformidad con lo establecido en este contrato y en la legislación aplicable. Esta garantía tendrá una vigencia de 12 meses a partir de la entrega-recepción de los bienes.

CAUSAS PARA DESECHAR LAS PROPUESTAS

9. Que sus características se oferten de manera incompleta, diferente, o que no indiquen datos de identificación, cantidad, descripción, marca, modelo, unidad de medida o demás solicitadas.
10. Las que rebasen la base para el precio no aceptable.

CAUSAS PARA DECLARAR DESIERTO EL PROCEDIMIENTO DE ADJUDICACIÓN.

5. Si el acto de apertura de ofertas no se cuenta por lo menos con tres propuestas a sobre cerrado que cumplan con los requisitos establecidos en la invitación.

Para aclarar cualquier duda respecto a la descripción de lo solicitado, favor de comunicarse a la dirección de correo electrónico:

ksandoval@japami.gob.mx, maperez@japami.gob.mx, jnieto@japami.gob.mx, y/o al teléfono (462) 6069100 extensión 110, 133,146 y149 con atención a la Lic. Karina Sandoval Rodríguez, Ing. Marco Antonio Perez Martínez, y/o C.P. Jeronimo Nieto Martinez.

ATENTAMENTE
"Tu agua, Tu entorno"

Ing. Humberto Javier Rosiles Álvarez
Director General

C.c.p.- Karina Sandoval Rodríguez.-Gerente Administrativa.- Mismo fin
Jerónimo Nieto Martínez.- Director de Adquisiciones y Almacén.- Mismo fin
Marco Antonio Perez Martínez.- Director de Tecnologías de la Información y Comunicación.- Mismo Fin
Ma. Del Carmen Barajas Zepeda.- Coordinador Jurídico
Archivo.



IRAPUATO
MEJOR CIUDAD
2015 - 2018

No.	1908
Expediente	CCS/2018
Asunto	Solicitud de cotización.

Irapuato, Gto. 23 de Mayo de 2018

COMPUCARE DE MEXICO SA DE CV
Cordillera del Sur N° 117
Colonia: Lomas 3A Sección C.P. 78216
San Luis Potosí, S.L.P.
Fernanda.morales@compu-care.com.mx
Presente.


At`n: C. Fernanda Morales.

Sirva el presente para invitarle a participar en el procedimiento para la adquisición de un servidor para el área de Tecnologías de Información y Comunicación cuyas características mínimas se detallan a continuación:

- Servidor que incluya: 1 PowerEdge FX2 (210-ABUX), 1 Serial I/O Management Cable, for Ethernet Blade Switches (310-9696), 1 PowerEdge FX2 Chassis for up to 4 Half-Width Nodes (321-BBFM), 1 FX2 Half-Width Node Filler Blank (321-BBFT), 1 FX2S Chassis Configuration Label (321-BBFZ), 1 PowerEdge FX2S Chassis Configuration with Flexible IO (up to 8 PCIe Slots) (321-BBGH), 1 US Order (332-1286), 1 PowerEdge FX2 Shipping (340-AGKB), 1 PowerEdge FN I/O Module User Documentation (340-AKBN), 1 User Guide, Fx2 chassis (343-BBBW), 1 Flex Address Plus Enabled,8GB (385-BBJR), 1 No Media Required (421-5736), 1 Power Supply, Redundancy Alerting Enabled Configuration (450-ADTZ), 1 Dual, Hot-plug, Redundant Power Supply, 2000W, C19/C20 Power Cord Required for Use (450-AENU), 2 Power Cord, C20 to C19, PDU Style, 16A, 250V, 2ft (0.6m) (492-BBEI), 1 Redundant Ethernet Switch Configuration (540-BBQM), 1 CMC Enterprise for FX2 (634-0287), 1 FX2 ReadyRails Sliding Rails (770-BBER), 1 Onsite Installation Declined (911-0418), 1 Dell Proactive Systems Management - Declined - www.dell.com/Proactive (923-7489), 1 Thank you for choosing Dell ProSupport Plus. For tech support, visit <http://www.dell.com/contactdell> (971-7037), 1 Declined Remote Consulting Service (973-2873), 1 Dell Limited Hardware Warranty Plus Service,Initial Year (974-2754), 1 ProSupport Plus: Mission Critical 4-Hour 7x24 On-Site Service with Emergency Dispatch, Initial Year (974-2856), 1 ProSupport Plus: 7x24 HW/SW Tech Support and Assistance, 5Year (974-2865), 1 Dell Limited Hardware Warranty Plus Service,Extended Year(s) (974-2755), 1 ProSupport Plus: Mission Critical 4-Hour 7x24 On-Site Service with Emergency Dispatch, 4 Year Extended (974-2859), 3 PowerEdge FC640 Server Node (210-ALYN), 3 Chassis with up to 2 PCIe SSD or SATA Hard Drives (Diskless, No Raid, or SW Raid only) (321-BCTY), 3 US Order (332-1286), 3 Intel Xeon Gold 6136 3.0G, 12C/24T, 10.4GT/s , 24.75M Cache, Turbo, HT (150W) DDR4-2666 (338-BLMG), 3 Performance Optimized (370-AAIP), 18 32GB RDIMM 2666MT/s Dual Rank (370-ADNF), 3 2666MT/s RDIMMs (370-ADNU), 3 Intel Xeon Gold 6136 3.0G, 12C/24T, 10.4GT/s , 24.75M Cache, Turbo, HT (150W) DDR4-2666 (374-BBOB), 3 iDRAC Group Manager, Enabled (379-BCQV), 3 Performance BIOS Settings (384-BBBL), 3 iDRAC9,Enterprise (385-BBKT), 3 Internal Dual SD Module with 2x 16GB SD Card (385-

**JUNTA DE AGUA POTABLE, DRENAJE, ALCANTARILLADO
Y SANEAMIENTO DEL MUNICIPIO DE IRAPUATO**

Bldv. Juan José Torres Landa no. 1720, Col. Independencia
C.P. 36559, Irapuato, Gto. 01 (462) 606 91 00
www.japami.gob.mx





IRAPUATO
MEJOR CIUDAD

BBMG), 3 PowerEdge FC640 Regulatory Label, DAO (389-CFVE), 3 No Controller (405-AACD), 3 2 CPU Heatsink (412-AAJM), 3 No Media Required (421-5736), 3 No Trusted Platform Module (461-AADZ), 3 PowerEdge FC PCIE Mezzanine Adapter (492-BBQT), 3 OME Server Configuration Management (528-BBWT), 3 Broadcom 57416 Dual Port 10Gb, Base-T, PCIe Adapter, Low Profile (540-BBVJ), 3 QLogic 57810-k Dual port 10Gb KR CNA Blade Network Daughter Card (542-BBBN), 3 No Systems Documentation, No OpenManage DVD Kit (631-AACK), 3 VMware ESXi 6.5 U1 Embedded Image on Flash Media for Diskless (634-BNJK), 3 System ordered as part of Multipack order (750-AADI), 3 System ordered as part of Multipack order (750-AADI), 3 Diskless Configuration (No RAID, No Controller) (780-BCDH), 3 On-Site Installation Declined (900-9997), 3 Thank you for choosing Dell ProSupport Plus. For tech support, visit <http://www.dell.com/contactdell> (971-7037), 3 Dell Limited Hardware Warranty Plus Service, Initial Years (815-2743), 3 ProSupport Plus Mission Critical: 4-Hour 7x24 On-Site Service with Emergency Dispatch, 3 Years (815-2768), 3 ProSupport Plus Mission Critical: 7x24 HW/SW Technical Support and Assistance, 5 Years (815-2773), 3 ProSupport Plus Mission Critical: 4-Hour 7x24 On-Site Service with Emergency Dispatch, 2 Years Extended (815-2772), 3 Dell Hardware Limited Warranty Plus On Site Service Extended Year (963-5582), 2 Dell PowerEdge FN410T I/O Module, 8x Internal to 4x 10GBASE-T external ports, Factory Installed (210-AHBR), 2 US Order (332-1286), 2 Software, Rights to use Full-Switch Mode, FN I/O Module (634-BFBL), 2 On-Site Installation Declined (900-9997), 2 Thank you for choosing Dell ProSupport Plus. For tech support, visit <http://www.dell.com/contactdell> (971-7037), 2 Dell Limited Hardware Warranty Plus Service, Initial Years (808-2455), 2 ProSupport Plus Mission Critical:4-Hour 7x24 Onsite Service with Emergency Dispatch, 3 Years (808-2677), 2 ProSupport Plus Mission Critical:7x24 HW/SW Technical Support and Assistance, 5 Years (808-2709), 2 ProSupport Plus Mission Critical:4-Hour 7x24 Onsite Service with Emergency Dispatch, 2 Years Extended (808-2669), 2 Dell Hardware Limited Warranty Plus On Site Service Extended Year (963-5582).

1 SCv3000 3Ux16 Drive Storage Array (210-ALVH), 1 US Order (332-1286), 1 SHIP,SCV3000,DAO (340-BRZD), 1 SC Bezel (350-BBKJ), 6 SC, 960GB, SAS, 12Gb, RI SSD, 2.5" HYB (400-ARSY), 10 SC, 6TB, SAS, 12Gb, 7.2K, 3.5" HDD (400-AVLB), 1 No Mezzanine Card (403-BBPD), 1 No Mezzanine Card (403-BBPD), 1 IO, 10Gb iSCSI, 4 port, PCI-E, Copper, Full height (406-BBLY), 1 IO, 10Gb iSCSI, 4 port, PCI-E, Copper, Full height (406-BBLY), 1 SCv30X0 Dual Controller Components (449-BBLE), 2 Power Cord, 250V, 16A, C19 to C20, 2 feet (450-AFEF), 1 Redundant Power Supply, 1378W, C20 (450-AGJN), 1 Storage Center Core Software Bundle, Base License (634-BJUI), 1 SSN License (634-BKCL), 1 Storage Optimization Bundle, Software License (Includes: Data Progression, Fast Track) (634-BKCM), 1 Rack rail, 2Us, Static (770-BBUJ), 1 On-Site Installation Declined (900-9997), 1 Thank you for choosing Dell ProSupport Plus. For tech support, visit <http://www.dell.com/contactdell> (971-7037), 1 Dell Hardware Limited Warranty (814-4998), 1 ProSupport Plus Mission Critical: 4-Hour 7x24 On-Site Service with Emergency Dispatch, 3 Years (814-5112), 1 ProSupport Plus Mission Critical: 7x24 HW/SW Tech Support and Assistance, 5 Years (814-5122), 1 ProSupport for Software: 7X24 Storage Center Optimization Bundle, 5 Years (815-3748), 1 ProSupport Plus Mission Critical: 4-Hour 7x24 On-Site Service with Emergency Dispatch, 2 Years Extended (814-5108), 1 Dell Limited Hardware Warranty Extended Year(s) (975-3461).

**JUNTA DE AGUA POTABLE, DRENAJE, ALCANTARILLADO
Y SANEAMIENTO DEL MUNICIPIO DE IRAPUATO**

Bldv. Juan José Torres Landa no. 1720, Col. Independencia
C.P. 36559, Irapuato, Gto. 01 (462) 606 91 00
www.japami.gob.mx





2 Dell Networking N4032, 24x 10GBASE-T Ports, 1x Modular Bay, 2x AC PSU, IO to PSU Airflow (210-ABVS), 2 US Order (332-1286), 2 Documentation Kit, N4000 Series Switch (340-AGNR), 2 QSFP+ 40GbE Module, 2-Port, Hot Swap, used for 40GbE Uplink, Stacking, or 8x 10GbE Breakout (409-BBCP), 2 Power Cord, 125V, 15A, 10 Feet, NEMA 5-15/C13 (450-AAFH), 2 Power Cord, 125V, 15A, 10 Feet, NEMA 5-15/C13 (450-AAFH), 2 Dell Networking, Cable, QSFP+ to QSFP+, 40GbE Passive Copper Direct Attach Cable, 1 Meter (470-AAFE), 2 On-Site Installation Declined (900-9997), 2 SW Support,NW,90 Day (966-9813), 2 Thank you for choosing Dell ProSupport Plus. For tech support, visit <http://www.dell.com/contactdell> (971-7037), 2 Dell Limited Hardware Warranty,Initial Year (966-9801), 2 Lifetime Limited Hardware Warranty with Basic Hardware Service Next Business Day Parts Only on your Power Connect Switch (966-9807), 2 ProSupport Plus: Mission Critical 4-Hour 7x24 On-Site Service with Emergency Dispatch, Initial Year (966-9994), 2 ProSupport Plus: 7x24 HW/SW Tech Support and Assistance, 5Year (973-9367), 2 Dell Hardware Limited Warranty Extended Year(s) (966-9803), 2 ProSupport Plus: Mission Critical 4-Hour 7x24 On-Site Service with Emergency Dispatch, 4 Year Extended (973-9331).

1 BUNDLE KIT 10 KVM ANALOGO 8PT Y KMM (A9860533) (incluye: 1 8-port APC KVM 2G Analog-KVM switch - CAT5 - 8 x

KVM port(s) - 1 local user - rack-mountable, 1 RACK 19IN LCD CONSOLE, 1 APC Server Module - KVM extender - USB - for

KVM 2G Enterprise analog, Enterprise Digital/IP).

1 BUNDLE APC KIT 4 GABINETE Y UPS ONLINE 5KVA (A9855624), 1 Installation of a Dell PowerEdge Rack (926-6439)

(Incluye: 1Dell Netshelter SX 42U Rack - 600mm Wide x 1070mm Deep, 2 American Power Conversion AR8442 Zero U Vertical

Cable Organizer for Netshelter Racks, 1 Dell APC SMART-UPS SRT 5000VA RM 208 6KVA RM BATTERY PACK, 2 American

Power Conversion AP7541 Zero U Basic Rack Power Distribution Unit, 1 Installation of a Dell PowerEdge Rack).

- Configuración, instalación y puesta en marcha. Deberán presentar pruebas de "Alta disponibilidad", deberán entregar manual de usuario.
- Capacitación sobre la instalación, configuración y puesta en marcha a personal de TIC de JAPAMI.
- Garantía del bien por el proveedor, mínima de 3 años;

La adquisición se realizara a través de un procedimiento de Licitación Restringida por parte del Comité de Adquisiciones enajenaciones, arrendamientos y servicios.

RECEPCION DE PROPUESTAS TECNICAS Y ECONOMICAS:

- Del **29 de mayo al 4 de junio del 2018** de 09:00 a las 15:00 horas,
- En el módulo de oficialía de partes de las oficinas centrales de JAPAMI, ubicadas en Juan José Torres Landa no. 1720, Col. Independencia, Irapuato, Gto.
- Con atención al Ing. Humberto Javier Rosiles Álvarez Director General de Japami.

REQUISITOS PARA LA PRESENTACIÓN DE LA PROPUESTA TÉCNICA Y ECONÓMICA.

- Deberá entregarse en sobre cerrado en hoja membretada y firma autógrafa en original por el representante legal.
- Su propuesta económica deberá ser en moneda nacional con IVA desglosado;
- Vigencia de la propuesta;

PERIODO DE ENTREGA DE LOS BIENES.

- 10 (diez) Semanas para la entrega y puesta en marcha, a partir de la firma del contrato.

Deberá apegarse justa, exacta y cabalmente a los requisitos y especificaciones del bien enunciado.

CONDICIONES DE PAGO

- Se podrá otorgar un anticipo, a solicitud del proveedor, máximo del 50%.
- Se efectuara el pago del monto restante que corresponda una vez hecha la entrega dentro de los 10 días hábiles posteriores de haber recibido el equipo de conformidad por parte del Director de Tecnologías de la Información y Comunicación y el Director de Adquisiciones y Almacén de Japami.

CONTRATO Y GARANTIAS

El proveedor adjudicado deberá de formalizar la celebración del contrato, dentro de los diez días hábiles posteriores a la notificación del fallo tomado por el comité.

En caso de requerir anticipo, deberá entregar una garantía por el 100% del monto otorgado como anticipo.

Deberá entregar una garantía de cumplimiento por el 10% del monto total contratado.

Se aceptara exclusivamente como garantía fianza o cheque certificado.

Deberá entregar una garantía de vicios ocultos, previamente a la recepción de los bienes, **EL PROVEEDOR** se obliga a constituir una fianza por el equivalente al 10% diez por ciento del monto total del contrato sin incluir el I.V.A., a efecto de responder de los defectos que resultaren en los mismos, de los vicios ocultos y de cualquier responsabilidad en que hubiere incurrido de conformidad con lo establecido en este contrato y en la legislación aplicable. Esta garantía tendrá una vigencia de 12 meses a partir de la entrega-recepción de los bienes.

CAUSAS PARA DESECHAR LAS PROPUESTAS

11. Que sus características se oferten de manera incompleta, diferente, o que no indiquen datos de identificación, cantidad, descripción, marca, modelo, unidad de medida o demás solicitadas.
12. Las que rebasen la base para el precio no aceptable.

CAUSAS PARA DECLARAR DESIERTO EL PROCEDIMIENTO DE ADJUDICACIÓN.

6. Si el acto de apertura de ofertas no se cuenta por lo menos con tres propuestas a sobre cerrado que cumplan con los requisitos establecidos en la invitación.

Para aclarar cualquier duda respecto a la descripción de lo solicitado, favor de comunicarse a la dirección de correo electrónico:

ksandoval@japami.gob.mx, maperez@japami.gob.mx, jnieto@japami.gob.mx, y/o al teléfono (462) 6069100 extensión 110, 133,146 y149 con atención a la Lic. Karina Sandoval Rodríguez, Ing. Marco Antonio Perez Martínez, y/o C.P. Jeronimo Nieto Martinez.

ATENTAMENTE
"Tu agua, Tu entorno"

Ing. Humberto Javier Rosiles Álvarez
Director General

C.c.p.- Karina Sandoval Rodríguez.-Gerente Administrativa.- Mismo fin
Jerónimo Nieto Martínez.- Director de Adquisiciones y Almacén.- Mismo fin
Marco Antonio Perez Martínez.- Director de Tecnologías de la Información y Comunicación.- Mismo Fin
Ma. Del Carmen Barajas Zepeda.- Coordinador Jurídico
Archivo.

**JUNTA DE AGUA POTABLE, DRENAJE, ALCANTARILLADO
Y SANEAMIENTO DEL MUNICIPIO DE IRAPUATO**

Bldv. Juan José Torres Landa no. 1720, Col. Independencia
C.P. 36559, Irapuato, Gto. 01 (462) 606 91 00
www.japami.gob.mx





IRAPUATO
MEJOR CIUDAD
2015 - 2018

No.	1909
Expediente	CCS/2018
Asunto	Solicitud de cotización.

Irapuato, Gto. 23 de Mayo de 2018

DISEÑO E IMPLEMENTACIÓN DE SERVICIO COMPUTACIONAL SA DE CV
Periférico Manuel Gomez Morín Sur No.7980 Bodega 2B-1
Colonia: Parque Industrial tecnológico II Tlaquepaque
Tlaquepaque, Jalisco 45608
Presente.

Sirva el presente para invitarle a participar en el procedimiento para la adquisición de un servidor para el área de Tecnologías de Información y Comunicación cuyas características mínimas se detallan a continuación:

- Servidor que incluya: 1 PowerEdge FX2 (210-ABUX), 1 Serial I/O Management Cable, for Ethernet Blade Switches (310-9696), 1 PowerEdge FX2 Chassis for up to 4 Half-Width Nodes (321-BBFM), 1 FX2 Half-Width Node Filler Blank (321-BBFT), 1 FX2S Chassis Configuration Label (321-BBFZ), 1 PowerEdge FX2S Chassis Configuration with Flexible IO (up to 8 PCIe Slots) (321-BBGH), 1 US Order (332-1286), 1 PowerEdge FX2 Shipping (340-AGKB), 1 PowerEdge FN I/O Module User Documentation (340-AKBN), 1 User Guide, Fx2 chassis (343-BBBW), 1 Flex Address Plus Enabled, 8GB (385-BBJR), 1 No Media Required (421-5736), 1 Power Supply, Redundancy Alerting Enabled Configuration (450-ADTZ), 1 Dual, Hot-plug, Redundant Power Supply, 2000W, C19/C20 Power Cord Required for Use (450-AENU), 2 Power Cord, C20 to C19, PDU Style, 16A, 250V, 2ft (0.6m) (492-BBEI), 1 Redundant Ethernet Switch Configuration (540-BBQM), 1 CMC Enterprise for FX2 (634-0287), 1 FX2 ReadyRails Sliding Rails (770-BBER), 1 Onsite Installation Declined (911-0418), 1 Dell Proactive Systems Management - Declined - www.dell.com/Proactive (923-7489), 1 Thank you for choosing Dell ProSupport Plus. For tech support, visit <http://www.dell.com/contactdell> (971-7037), 1 Declined Remote Consulting Service (973-2873), 1 Dell Limited Hardware Warranty Plus Service, Initial Year (974-2754), 1 ProSupport Plus: Mission Critical 4-Hour 7x24 On-Site Service with Emergency Dispatch, Initial Year (974-2856), 1 ProSupport Plus: 7x24 HW/SW Tech Support and Assistance, 5Year (974-2865), 1 Dell Limited Hardware Warranty Plus Service, Extended Year(s) (974-2755), 1 ProSupport Plus: Mission Critical 4-Hour 7x24 On-Site Service with Emergency Dispatch, 4 Year Extended (974-2859), 3 PowerEdge FC640 Server Node (210-ALYN), 3 Chassis with up to 2 PCIe SSD or SATA Hard Drives (Diskless, No Raid, or SW Raid only) (321-BCTY), 3 US Order (332-1286), 3 Intel Xeon Gold 6136 3.0G, 12C/24T, 10.4GT/s, 24.75M Cache, Turbo, HT (150W) DDR4-2666 (338-BLMG), 3 Performance Optimized (370-AAIP), 18 32GB RDIMM 2666MT/s Dual Rank (370-ADNF), 3 2666MT/s RDIMMs (370-ADNU), 3 Intel Xeon Gold 6136 3.0G, 12C/24T, 10.4GT/s, 24.75M Cache, Turbo, HT (150W) DDR4-2666 (374-BBOB), 3 iDRAC Group Manager, Enabled (379-BCQV), 3 Performance BIOS Settings (384-BBBL), 3

JUNTA DE AGUA POTABLE, DRENAJE, ALCANTARILLADO Y SANEAMIENTO DEL MUNICIPIO DE IRAPUATO

Blvd. Juan José Torres Landa no. 1720, Col. Independencia
 C.P. 36559, Irapuato, Gto. 01 (462) 606 91 00
www.japami.gob.mx





IRAPUATO
MEJOR CIUDAD

iDRAC9,Enterprise (385-BBKT), 3 Internal Dual SD Module with 2x 16GB SD²Card⁵ (385-BBMG), 3 PowerEdge FC640 Regulatory Label, DAO (389-CFVE), 3 No Controller (405-AACD), 3 2 CPU Heatsink (412-AAJM), 3 No Media Required (421-5736), 3 No Trusted Platform Module (461-AADZ), 3 PowerEdge FC PCIE Mezzanine Adapter (492-BBQT), 3 OME Server Configuration Management (528-BBWT), 3 Broadcom 57416 Dual Port 10Gb, Base-T, PCIe Adapter, Low Profile (540-BBVJ), 3 QLogic 57810-k Dual port 10Gb KR CNA Blade Network Daughter Card (542-BBBN), 3 No Systems Documentation, No OpenManage DVD Kit (631-AACK), 3 VMware ESXi 6.5 U1 Embedded Image on Flash Media for Diskless (634-BNJK), 3 System ordered as part of Multipack order (750-AADI), 3 System ordered as part of Multipack order (750-AADI), 3 Diskless Configuration (No RAID, No Controller) (780-BCDH), 3 On-Site Installation Declined (900-9997), 3 Thank you for choosing Dell ProSupport Plus. For tech support, visit <http://www.dell.com/contactdell> (971-7037), 3 Dell Limited Hardware Warranty Plus Service, Initial Years (815-2743), 3 ProSupport Plus Mission Critical: 4-Hour 7x24 On-Site Service with Emergency Dispatch, 3 Years (815-2768), 3 ProSupport Plus Mission Critical: 7x24 HW/SW Technical Support and Assistance, 5 Years (815-2773), 3 ProSupport Plus Mission Critical: 4-Hour 7x24 On-Site Service with Emergency Dispatch, 2 Years Extended (815-2772), 3 Dell Hardware Limited Warranty Plus On Site Service Extended Year (963-5582), 2 Dell PowerEdge FN410T I/O Module, 8x Internal to 4x 10GBASE-T external ports, Factory Installed (210-AHBR), 2 US Order (332-1286), 2 Software, Rights to use Full-Switch Mode, FN I/O Module (634-BFBL), 2 On-Site Installation Declined (900-9997), 2 Thank you for choosing Dell ProSupport Plus. For tech support, visit <http://www.dell.com/contactdell> (971-7037), 2 Dell Limited Hardware Warranty Plus Service, Initial Years (808-2455), 2 ProSupport Plus Mission Critical:4-Hour 7x24 Onsite Service with Emergency Dispatch, 3 Years (808-2677), 2 ProSupport Plus Mission Critical:7x24 HW/SW Technical Support and Assistance, 5 Years (808-2709), 2 ProSupport Plus Mission Critical:4-Hour 7x24 Onsite Service with Emergency Dispatch, 2 Years Extended (808-2669), 2 Dell Hardware Limited Warranty Plus On Site Service Extended Year (963-5582).
1 SCv3000 3Ux16 Drive Storage Array (210-ALVH), 1 US Order (332-1286), 1 SHIP,SCV3000,DAO (340-BRZD), 1 SC Bezel (350-BBKJ), 6 SC, 960GB, SAS, 12Gb, RI SSD, 2.5" HYB (400-ARSY), 10 SC, 6TB, SAS, 12Gb, 7.2K, 3.5" HDD (400-AVLB), 1 No Mezzanine Card (403-BBPD), 1 No Mezzanine Card (403-BBPD), 1 IO, 10Gb iSCSI, 4 port, PCI-E, Copper, Full height (406-BBLY), 1 IO, 10Gb iSCSI, 4 port, PCI-E, Copper, Full height (406-BBLY), 1 SCv30X0 Dual Controller Components (449-BBLE), 2 Power Cord, 250V, 16A, C19 to C20, 2 feet (450-AFEF), 1 Redundant Power Supply, 1378W, C20 (450-AGJN), 1 Storage Center Core Software Bundle, Base License (634-BJUI), 1 SSN License (634-BKCL), 1 Storage Optimization Bundle, Software License (Includes: Data Progression, Fast Track) (634-BKCM), 1 Rack rail, 2Us, Static (770-BBUJ), 1 On-Site Installation Declined (900-9997), 1 Thank you for choosing Dell ProSupport Plus. For tech support, visit <http://www.dell.com/contactdell> (971-7037), 1 Dell Hardware Limited Warranty (814-4998), 1 ProSupport Plus Mission Critical: 4-Hour 7x24 On-Site Service with Emergency Dispatch, 3 Years (814-5112), 1 ProSupport Plus Mission Critical: 7x24 HW/SW Tech Support and Assistance, 5 Years (814-5122), 1 ProSupport for Software: 7X24 Storage Center Optimization Bundle, 5 Years (815-3748), 1 ProSupport Plus Mission Critical: 4-Hour 7x24 On-Site Service with Emergency Dispatch, 2 Years Extended (814-5108), 1 Dell Limited Hardware Warranty Extended Year(s) (975-3461).

**JUNTA DE AGUA POTABLE, DRENAJE, ALCANTARILLADO
Y SANEAMIENTO DEL MUNICIPIO DE IRAPUATO**

Blvd. Juan José Torres Landa no. 1720, Col. Independencia
C.P. 36559, Irapuato, Gto. 01 (462) 606 91 00
www.japami.gob.mx



2 Dell Networking N4032, 24x 10GBASE-T Ports, 1x Modular Bay, 2x AC PSU, 10 to PSU 18 Airflow (210-ABVS), 2 US Order (332-1286), 2 Documentation Kit, N4000 Series Switch (340-AGNR), 2 QSFP+ 40GbE Module, 2-Port, Hot Swap, used for 40GbE Uplink, Stacking, or 8x 10GbE Breakout (409-BBCP), 2 Power Cord, 125V, 15A, 10 Feet, NEMA 5-15/C13 (450-AAFH), 2 Power Cord, 125V, 15A, 10 Feet, NEMA 5-15/C13 (450-AAFH), 2 Dell Networking, Cable, QSFP+ to QSFP+, 40GbE Passive Copper Direct Attach Cable, 1 Meter (470-AAFE), 2 On-Site Installation Declined (900-9997), 2 SW Support, NW, 90 Day (966-9813), 2 Thank you for choosing Dell ProSupport Plus. For tech support, visit <http://www.dell.com/contactdell> (971-7037), 2 Dell Limited Hardware Warranty, Initial Year (966-9801), 2 Lifetime Limited Hardware Warranty with Basic Hardware Service Next Business Day Parts Only on your Power Connect Switch (966-9807), 2 ProSupport Plus: Mission Critical 4-Hour 7x24 On-Site Service with Emergency Dispatch, Initial Year (966-9994), 2 ProSupport Plus: 7x24 HW/SW Tech Support and Assistance, 5Year (973-9367), 2 Dell Hardware Limited Warranty Extended Year(s) (966-9803), 2 ProSupport Plus: Mission Critical 4-Hour 7x24 On-Site Service with Emergency Dispatch, 4 Year Extended (973-9331).

1 BUNDLE KIT 10 KVM ANALOGO 8PT Y KMM (A9860533) (incluye: 1 8-port APC KVM 2G Analog-KVM switch - CAT5 - 8 x

KVM port(s) - 1 local user - rack-mountable, 1 RACK 19IN LCD CONSOLE, 1 APC Server Module - KVM extender - USB - for

KVM 2G Enterprise analog, Enterprise Digital/IP).

1 BUNDLE APC KIT 4 GABINETE Y UPS ONLINE 5KVA (A9855624), 1 Installation of a Dell PowerEdge Rack (926-6439)

(Incluye: 1 Dell Netshelter SX 42U Rack - 600mm Wide x 1070mm Deep, 2 American Power Conversion AR8442 Zero U Vertical

Cable Organizer for Netshelter Racks, 1 Dell APC SMART-UPS SRT 5000VA RM 208 6KVA RM BATTERY PACK, 2 American

Power Conversion AP7541 Zero U Basic Rack Power Distribution Unit, 1 Installation of a Dell PowerEdge Rack).

- Configuración, instalación y puesta en marcha. Deberán presentar pruebas de "Alta disponibilidad", deberán entregar manual de usuario.
- Capacitación sobre la instalación, configuración y puesta en marcha a personal de TIC de JAPAMI.
- Garantía del bien por el proveedor, mínima de 3 años;

La adquisición se realizara a través de un procedimiento de Licitación Restringida por parte del Comité de Adquisiciones enajenaciones, arrendamientos y servicios.

RECEPCION DE PROPUESTAS TECNICAS Y ECONOMICAS:

- Del **29 de mayo al 4 de junio del 2018** de 09:00 a las 15:00 horas,
- En el módulo de oficialía de partes de las oficinas centrales de JAPAMI, ubicadas en Juan José Torres Landa no. 1720, Col. Independencia, Irapuato, Gto.
- Con atención al Ing. Humberto Javier Rosiles Álvarez Director General de Japami.

REQUISITOS PARA LA PRESENTACIÓN DE LA PROPUESTA TÉCNICA Y ECONÓMICA.

- Deberá entregarse en sobre cerrado en hoja membretada y firma autógrafa en original por el representante legal.
- Su propuesta económica deberá ser en moneda nacional con IVA desglosado;
- Vigencia de la propuesta;

PERIODO DE ENTREGA DE LOS BIENES.

- 10 (diez) Semanas para la entrega y puesta en marcha, a partir de la firma del contrato.

Deberá apegarse justa, exacta y cabalmente a los requisitos y especificaciones del bien enunciado.

CONDICIONES DE PAGO

- Se podrá otorgar un anticipo, a solicitud del proveedor, máximo del 50%.
- Se efectuara el pago del monto restante que corresponda una vez hecha la entrega dentro de los 10 días hábiles posteriores de haber recibido el equipo de conformidad por parte del Director de Tecnologías de la Información y Comunicación y el Director de Adquisiciones y Almacén de Japami.

CONTRATO Y GARANTIAS

El proveedor adjudicado deberá de formalizar la celebración del contrato, dentro de los diez días hábiles posteriores a la notificación del fallo tomado por el comité.

En caso de requerir anticipo, deberá entregar una garantía por el 100% del monto otorgado como anticipo.

Deberá entregar una garantía de cumplimiento por el 10% del monto total contratado.

Se aceptara exclusivamente como garantía fianza o cheque certificado.

Deberá entregar una garantía de vicios ocultos, previamente a la recepción de los bienes, **EL PROVEEDOR** se obliga a constituir una fianza por el equivalente al 10% diez por ciento del monto total del contrato sin incluir el I.V.A., a efecto de responder de los defectos que resultaren en los mismos, de los vicios ocultos y de cualquier responsabilidad en que hubiere incurrido de conformidad con lo establecido en este contrato y en la legislación aplicable. Esta garantía tendrá una vigencia de 12 meses a partir de la entrega-recepción de los bienes.

CAUSAS PARA DESECHAR LAS PROPUESTAS

13. Que sus características se oferten de manera incompleta, diferente, o que no indiquen datos de identificación, cantidad, descripción, marca, modelo, unidad de medida o demás solicitadas.
14. Las que rebasen la base para el precio no aceptable.

CAUSAS PARA DECLARAR DESIERTO EL PROCEDIMIENTO DE ADJUDICACIÓN.

7. Si el acto de apertura de ofertas no se cuenta por lo menos con tres propuestas a sobre cerrado que cumplan con los requisitos establecidos en la invitación.

Para aclarar cualquier duda respecto a la descripción de lo solicitado, favor de comunicarse a la dirección de correo electrónico:

ksandoval@japami.gob.mx, maperez@japami.gob.mx, jnieto@japami.gob.mx, y/o al teléfono (462) 6069100 extensión 110, 133,146 y149 con atención a la Lic. Karina Sandoval Rodríguez, Ing. Marco Antonio Perez Martínez, y/o C.P. Jeronimo Nieto Martinez.

ATENTAMENTE

"Tu agua, Tu entorno"

Ing. Humberto Javier Rosiles Álvarez
Director General

C.c.p.- Karina Sandoval Rodríguez.-Gerente Administrativa.- Mismo fin
Jerónimo Nieto Martínez.- Director de Adquisiciones y Almacén.- Mismo fin
Marco Antonio Perez Martínez.- Director de Tecnologías de la Información y Comunicación.- Mismo Fin
Ma. Del Carmen Barajas Zepeda.- Coordinador Jurídico
Archivo.

**JUNTA DE AGUA POTABLE, DRENAJE, ALCANTARILLADO
Y SANEAMIENTO DEL MUNICIPIO DE IRAPUATO**

Bldv. Juan José Torres Landa no. 1720, Col. Independencia
C.P. 36559, Irapuato, Gto. 01 (462) 606 91 00
www.japami.gob.mx



No.	1910
Expediente	CCS/2018
Asunto	Solicitud de cotización.

Irapuato, Gto. 23 de Mayo de 2018

GNR APOYO ESTRATEGICO SA DE CV
Av. Prol. Paseo de la Reforma 1236, P5,
Colonia: Desarrollo Santa Fe
Ciudad De Mexico, D.F. 05348
contacto@gnr.com.mx
Presente.

Sirva el presente para invitarle a participar en el procedimiento para la adquisición de un servidor para el área de Tecnologías de Información y Comunicación cuyas características mínimas se detallan a continuación:

- Servidor que incluya: 1 PowerEdge FX2 (210-ABUX), 1 Serial I/O Management Cable, for Ethernet Blade Switches (310-9696), 1 PowerEdge FX2 Chassis for up to 4 Half-Width Nodes (321-BBFM), 1 FX2 Half-Width Node Filler Blank (321-BBFT), 1 FX2S Chassis Configuration Label (321-BBFZ), 1 PowerEdge FX2S Chassis Configuration with Flexible IO (up to 8 PCIe Slots) (321-BBGH), 1 US Order (332-1286), 1 PowerEdge FX2 Shipping (340-AGKB), 1 PowerEdge FN I/O Module User Documentation (340-AKBN), 1 User Guide, Fx2 chassis (343-BBBW), 1 Flex Address Plus Enabled, 8GB (385-BBJR), 1 No Media Required (421-5736), 1 Power Supply, Redundancy Alerting Enabled Configuration (450-ADTZ), 1 Dual, Hot-plug, Redundant Power Supply, 2000W, C19/C20 Power Cord Required for Use (450-AENU), 2 Power Cord, C20 to C19, PDU Style, 16A, 250V, 2ft (0.6m) (492-BBEI), 1 Redundant Ethernet Switch Configuration (540-BBQM), 1 CMC Enterprise for FX2 (634-0287), 1 FX2 ReadyRails Sliding Rails (770-BBER), 1 Onsite Installation Declined (911-0418), 1 Dell Proactive Systems Management - Declined - www.dell.com/Proactive (923-7489), 1 Thank you for choosing Dell ProSupport Plus. For tech support, visit <http://www.dell.com/contactdell> (971-7037), 1 Declined Remote Consulting Service (973-2873), 1 Dell Limited Hardware Warranty Plus Service, Initial Year (974-2754), 1 ProSupport Plus: Mission Critical 4-Hour 7x24 On-Site Service with Emergency Dispatch, Initial Year (974-2856), 1 ProSupport Plus: 7x24 HW/SW Tech Support and Assistance, 5Year (974-2865), 1 Dell Limited Hardware Warranty Plus Service, Extended Year(s) (974-2755), 1 ProSupport Plus: Mission Critical 4-Hour 7x24 On-Site Service with Emergency Dispatch, 4 Year Extended (974-2859), 3 PowerEdge FC640 Server Node (210-ALYN), 3 Chassis with up to 2 PCIe SSD or SATA Hard Drives (Diskless, No Raid, or SW Raid only) (321-BCTY), 3 US Order (332-1286), 3 Intel Xeon Gold 6136 3.0G, 12C/24T, 10.4GT/s, 24.75M Cache, Turbo, HT (150W) DDR4-2666 (338-BLMG), 3 Performance Optimized (370-AAIP), 18 32GB RDIMM 2666MT/s Dual Rank (370-ADNF), 3 2666MT/s RDIMMs (370-ADNU), 3 Intel Xeon Gold 6136 3.0G, 12C/24T,

**JUNTA DE AGUA POTABLE, DRENAJE, ALCANTARILLADO
Y SANEAMIENTO DEL MUNICIPIO DE IRAPUATO**

Blvd. Juan José Torres Landa no. 1720, Col. Independencia
C.P. 36559, Irapuato, Gto. 01 (462) 606 91 00
www.japami.gob.mx





10.4GT/s , 24.75M Cache, Turbo, HT (150W) DDR4-2666 (374-BBOB), 3 iDRAC 5 Group Manager, Enabled (379-BCQV), 3 Performance BIOS Settings (384-BBBL), 3 iDRAC9,Enterprise (385-BBKT), 3 Internal Dual SD Module with 2x 16GB SD Card (385-BBMG), 3 PowerEdge FC640 Regulatory Label, DAO (389-CFVE), 3 No Controller (405-AACD), 3 2 CPU Heatsink (412-AAJM), 3 No Media Required (421-5736), 3 No Trusted Platform Module (461-AADZ), 3 PowerEdge FC PCIE Mezzanine Adapter (492-BBQT), 3 OME Server Configuration Management (528-BBWT), 3 Broadcom 57416 Dual Port 10Gb, Base-T, PCIe Adapter, Low Profile (540-BBVJ), 3 QLogic 57810-k Dual port 10Gb KR CNA Blade Network Daughter Card (542-BBBN), 3 No Systems Documentation, No OpenManage DVD Kit (631-AACK), 3 VMware ESXi 6.5 U1 Embedded Image on Flash Media for Diskless (634-BNJK), 3 System ordered as part of Multipack order (750-AADI), 3 System ordered as part of Multipack order (750-AADI), 3 Diskless Configuration (No RAID, No Controller) (780-BCDH), 3 On-Site Installation Declined (900-9997), 3 Thank you for choosing Dell ProSupport Plus. For tech support, visit <http://www.dell.com/contactdell> (971-7037), 3 Dell Limited Hardware Warranty Plus Service, Initial Years (815-2743), 3 ProSupport Plus Mission Critical: 4-Hour 7x24 On-Site Service with Emergency Dispatch, 3 Years (815-2768), 3 ProSupport Plus Mission Critical: 7x24 HW/SW Technical Support and Assistance, 5 Years (815-2773), 3 ProSupport Plus Mission Critical: 4-Hour 7x24 On-Site Service with Emergency Dispatch, 2 Years Extended (815-2772), 3 Dell Hardware Limited Warranty Plus On Site Service Extended Year (963-5582), 2 Dell PowerEdge FN410T I/O Module, 8x Internal to 4x 10GBASE-T external ports, Factory Installed (210-AHBR), 2 US Order (332-1286), 2 Software, Rights to use Full-Switch Mode, FN I/O Module (634-BFBL), 2 On-Site Installation Declined (900-9997), 2 Thank you for choosing Dell ProSupport Plus. For tech support, visit <http://www.dell.com/contactdell> (971-7037), 2 Dell Limited Hardware Warranty Plus Service, Initial Years (808-2455), 2 ProSupport Plus Mission Critical:4-Hour 7x24 Onsite Service with Emergency Dispatch, 3 Years (808-2677), 2 ProSupport Plus Mission Critical:7x24 HW/SW Technical Support and Assistance, 5 Years (808-2709), 2 ProSupport Plus Mission Critical:4-Hour 7x24 Onsite Service with Emergency Dispatch, 2 Years Extended (808-2669), 2 Dell Hardware Limited Warranty Plus On Site Service Extended Year (963-5582).
1 SCv3000 3Ux16 Drive Storage Array (210-ALVH), 1 US Order (332-1286), 1 SHIP,SCV3000,DAO (340-BRZD), 1 SC Bezel (350-BBKJ), 6 SC, 960GB, SAS, 12Gb, RI SSD, 2.5" HYB (400-ARSY), 10 SC, 6TB, SAS, 12Gb, 7.2K, 3.5" HDD (400-AVLB), 1 No Mezzanine Card (403-BBPD), 1 No Mezzanine Card (403-BBPD), 1 IO, 10Gb iSCSI, 4 port, PCI-E, Copper, Full height (406-BBLY), 1 IO, 10Gb iSCSI, 4 port, PCI-E, Copper, Full height (406-BBLY), 1 SCv30X0 Dual Controller Components (449-BBLE), 2 Power Cord, 250V, 16A, C19 to C20, 2 feet (450-AFEF), 1 Redundant Power Supply, 1378W, C20 (450-AGJN), 1 Storage Center Core Software Bundle, Base License (634-BJUI), 1 SSN License (634-BKCL), 1 Storage Optimization Bundle, Software License (Includes: Data Progression, Fast Track) (634-BKCM), 1 Rack rail, 2Us, Static (770-BBUJ), 1 On-Site Installation Declined (900-9997), 1 Thank you for choosing Dell ProSupport Plus. For tech support, visit <http://www.dell.com/contactdell> (971-7037), 1 Dell Hardware Limited Warranty (814-4998), 1 ProSupport Plus Mission Critical: 4-Hour 7x24 On-Site Service with Emergency Dispatch, 3 Years (814-5112), 1 ProSupport Plus Mission Critical: 7x24 HW/SW Tech Support and Assistance, 5 Years (814-5122), 1 ProSupport for Software: 7X24 Storage Center Optimization Bundle, 5 Years (815-3748), 1 ProSupport Plus Mission Critical: 4-Hour 7x24 On-Site Service with Emergency Dispatch, 2 Years Extended (814-5108), 1 Dell Limited Hardware Warranty Extended Year(s) (975-3461).

**JUNTA DE AGUA POTABLE, DRENAJE, ALCANTARILLADO
Y SANEAMIENTO DEL MUNICIPIO DE IRAPUATO**

Blvd. Juan José Torres Landa no. 1720, Col. Independencia
C.P. 36559, Irapuato, Gto. 01 (462) 606 91 00
www.japami.gob.mx



2 Dell Networking N4032, 24x 10GBASE-T Ports, 1x Modular Bay, 2x AC PSU, 10 to PSU 18 Airflow (210-ABVS), 2 US Order (332-1286), 2 Documentation Kit, N4000 Series Switch (340-AGNR), 2 QSFP+ 40GbE Module, 2-Port, Hot Swap, used for 40GbE Uplink, Stacking, or 8x 10GbE Breakout (409-BBCP), 2 Power Cord, 125V, 15A, 10 Feet, NEMA 5-15/C13 (450-AAFH), 2 Power Cord, 125V, 15A, 10 Feet, NEMA 5-15/C13 (450-AAFH), 2 Dell Networking, Cable, QSFP+ to QSFP+, 40GbE Passive Copper Direct Attach Cable, 1 Meter (470-AAFE), 2 On-Site Installation Declined (900-9997), 2 SW Support, NW, 90 Day (966-9813), 2 Thank you for choosing Dell ProSupport Plus. For tech support, visit <http://www.dell.com/contactdell> (971-7037), 2 Dell Limited Hardware Warranty, Initial Year (966-9801), 2 Lifetime Limited Hardware Warranty with Basic Hardware Service Next Business Day Parts Only on your Power Connect Switch (966-9807), 2 ProSupport Plus: Mission Critical 4-Hour 7x24 On-Site Service with Emergency Dispatch, Initial Year (966-9994), 2 ProSupport Plus: 7x24 HW/SW Tech Support and Assistance, 5Year (973-9367), 2 Dell Hardware Limited Warranty Extended Year(s) (966-9803), 2 ProSupport Plus: Mission Critical 4-Hour 7x24 On-Site Service with Emergency Dispatch, 4 Year Extended (973-9331).

1 BUNDLE KIT 10 KVM ANALOGO 8PT Y KMM (A9860533) (incluye: 1 8-port APC KVM 2G Analog-KVM switch - CAT5 - 8 x

KVM port(s) - 1 local user - rack-mountable, 1 RACK 19IN LCD CONSOLE, 1 APC Server Module - KVM extender - USB - for

KVM 2G Enterprise analog, Enterprise Digital/IP).

1 BUNDLE APC KIT 4 GABINETE Y UPS ONLINE 5KVA (A9855624), 1 Installation of a Dell PowerEdge Rack (926-6439)

(Incluye: 1 Dell Netshelter SX 42U Rack - 600mm Wide x 1070mm Deep, 2 American Power Conversion AR8442 Zero U Vertical

Cable Organizer for Netshelter Racks, 1 Dell APC SMART-UPS SRT 5000VA RM 208 6KVA RM BATTERY PACK, 2 American

Power Conversion AP7541 Zero U Basic Rack Power Distribution Unit, 1 Installation of a Dell PowerEdge Rack).

- Configuración, instalación y puesta en marcha. Deberán presentar pruebas de "Alta disponibilidad", deberán entregar manual de usuario.
- Capacitación sobre la instalación, configuración y puesta en marcha a personal de TIC de JAPAMI.
- Garantía del bien por el proveedor, mínima de 3 años;

La adquisición se realizara a través de un procedimiento de Licitación Restringida por parte del Comité de Adquisiciones enajenaciones, arrendamientos y servicios.

RECEPCION DE PROPUESTAS TECNICAS Y ECONOMICAS:

- Del **29 de mayo al 4 de junio del 2018** de 09:00 a las 15:00 horas,
- En el módulo de oficialía de partes de las oficinas centrales de JAPAMI, ubicadas en Juan José Torres Landa no. 1720, Col. Independencia, Irapuato, Gto.
- Con atención al Ing. Humberto Javier Rosiles Álvarez Director General de Japami.

REQUISITOS PARA LA PRESENTACIÓN DE LA PROPUESTA TÉCNICA Y ECONÓMICA.

- Deberá entregarse en sobre cerrado en hoja membretada y firma autógrafa en original por el representante legal.
- Su propuesta económica deberá ser en moneda nacional con IVA desglosado;
- Vigencia de la propuesta;

PERIODO DE ENTREGA DE LOS BIENES.

- 10 (diez) Semanas para la entrega y puesta en marcha, a partir de la firma del contrato.

Deberá apegarse justa, exacta y cabalmente a los requisitos y especificaciones del bien enunciado.

CONDICIONES DE PAGO

- Se podrá otorgar un anticipo, a solicitud del proveedor, máximo del 50%.
- Se efectuara el pago del monto restante que corresponda una vez hecha la entrega dentro de los 10 días hábiles posteriores de haber recibido el equipo de conformidad por parte del Director de Tecnologías de la Información y Comunicación y el Director de Adquisiciones y Almacén de Japami.

CONTRATO Y GARANTIAS

El proveedor adjudicado deberá de formalizar la celebración del contrato, dentro de los diez días hábiles posteriores a la notificación del fallo tomado por el comité.

En caso de requerir anticipo, deberá entregar una garantía por el 100% del monto otorgado como anticipo.

Deberá entregar una garantía de cumplimiento por el 10% del monto total contratado.

Se aceptara exclusivamente como garantía fianza o cheque certificado.

Deberá entregar una garantía de vicios ocultos, previamente a la recepción de los bienes, **EL PROVEEDOR** se obliga a constituir una fianza por el equivalente al 10% diez por ciento del monto total del contrato sin incluir el I.V.A., a efecto de responder de los defectos que resultaren en los mismos, de los vicios ocultos y de cualquier responsabilidad en que hubiere incurrido de conformidad con lo establecido en este contrato y en la legislación aplicable. Esta garantía tendrá una vigencia de 12 meses a partir de la entrega-recepción de los bienes.

CAUSAS PARA DESECHAR LAS PROPUESTAS

15. Que sus características se oferten de manera incompleta, diferente, o que no indiquen datos de identificación, cantidad, descripción, marca, modelo, unidad de medida o demás solicitadas.
16. Las que rebasen la base para el precio no aceptable.

CAUSAS PARA DECLARAR DESIERTO EL PROCEDIMIENTO DE ADJUDICACIÓN.

8. Si el acto de apertura de ofertas no se cuenta por lo menos con tres propuestas a sobre cerrado que cumplan con los requisitos establecidos en la invitación.

Para aclarar cualquier duda respecto a la descripción de lo solicitado, favor de comunicarse a la dirección de correo electrónico:

ksandoval@japami.gob.mx, maperez@japami.gob.mx, jnieto@japami.gob.mx, y/o al teléfono (462) 6069100 extensión 110, 133,146 y149 con atención a la Lic. Karina Sandoval Rodríguez, Ing. Marco Antonio Perez Martínez, y/o C.P. Jeronimo Nieto Martinez.

ATENTAMENTE
"Tu agua, Tu entorno"

Ing. Humberto Javier Rosiles Álvarez
Director General

C.c.p.- Karina Sandoval Rodríguez.-Gerente Administrativa.- Mismo fin
Jerónimo Nieto Martínez.- Director de Adquisiciones y Almacén.- Mismo fin
Marco Antonio Perez Martínez.- Director de Tecnologías de la Información y Comunicación.- Mismo Fin
Ma. Del Carmen Barajas Zepeda.- Coordinador Jurídico
Archivo.



No.	1911
Expediente	CCS/2018
Asunto	Solicitud de cotización.

Irapuato, Gto. 23 de Mayo de 2018

OFIPRODUCTOS DE COMPUTACION SA DE CV

Ensenada No. 32

Colonia: Condesa

Ciudad de México, C.P.: 06140

soporte@ofipc.com.mx

Presente.

Sirva el presente para invitarle a participar en el procedimiento para la adquisición de un servidor para el área de Tecnologías de Información y Comunicación cuyas características mínimas se detallan a continuación:

- Servidor que incluya: 1 PowerEdge FX2 (210-ABUX), 1 Serial I/O Management Cable, for Ethernet Blade Switches (310-9696), 1 PowerEdge FX2 Chassis for up to 4 Half-Width Nodes (321-BBFM), 1 FX2 Half-Width Node Filler Blank (321-BBFT), 1 FX2S Chassis Configuration Label (321-BBFZ), 1 PowerEdge FX2S Chassis Configuration with Flexible IO (up to 8 PCIe Slots) (321-BBGH), 1 US Order (332-1286), 1 PowerEdge FX2 Shipping (340-AGKB), 1 PowerEdge FN I/O Module User Documentation (340-AKBN), 1 User Guide, Fx2 chassis (343-BBBW), 1 Flex Address Plus Enabled, 8GB (385-BBJR), 1 No Media Required (421-5736), 1 Power Supply, Redundancy Alerting Enabled Configuration (450-ADTZ), 1 Dual, Hot-plug, Redundant Power Supply, 2000W, C19/C20 Power Cord Required for Use (450-AENU), 2 Power Cord, C20 to C19, PDU Style, 16A, 250V, 2ft (0.6m) (492-BBEI), 1 Redundant Ethernet Switch Configuration (540-BBQM), 1 CMC Enterprise for FX2 (634-0287), 1 FX2 ReadyRails Sliding Rails (770-BBER), 1 Onsite Installation Declined (911-0418), 1 Dell Proactive Systems Management - Declined - www.dell.com/Proactive (923-7489), 1 Thank you for choosing Dell ProSupport Plus. For tech support, visit <http://www.dell.com/contactdell> (971-7037), 1 Declined Remote Consulting Service (973-2873), 1 Dell Limited Hardware Warranty Plus Service, Initial Year (974-2754), 1 ProSupport Plus: Mission Critical 4-Hour 7x24 On-Site Service with Emergency Dispatch, Initial Year (974-2856), 1 ProSupport Plus: 7x24 HW/SW Tech Support and Assistance, 5Year (974-2865), 1 Dell Limited Hardware Warranty Plus Service, Extended Year(s) (974-2755), 1 ProSupport Plus: Mission Critical 4-Hour 7x24 On-Site Service with Emergency Dispatch, 4 Year Extended (974-2859), 3 PowerEdge FC640 Server Node (210-ALYN), 3 Chassis with up to 2 PCIe SSD or SATA Hard Drives (Diskless, No Raid, or SW Raid only) (321-BCTY), 3 US Order (332-1286), 3 Intel Xeon Gold 6136 3.0G, 12C/24T, 10.4GT/s, 24.75M Cache, Turbo, HT (150W) DDR4-2666 (338-BLMG), 3 Performance Optimized (370-AAIP), 18 32GB RDIMM 2666MT/s Dual Rank (370-ADNF), 3 2666MT/s RDIMMs (370-ADNU), 3 Intel Xeon Gold 6136 3.0G, 12C/24T, 10.4GT/s, 24.75M Cache, Turbo, HT (150W) DDR4-2666 (374-BBOB), 3 iDRAC Group Manager, Enabled (379-BCQV), 3 Performance BIOS Settings (384-BBBL), 3

JUNTA DE AGUA POTABLE, DRENAJE, ALCANTARILLADO Y SANEAMIENTO DEL MUNICIPIO DE IRAPUATO

Bldv. Juan José Torres Landa no. 1720, Col. Independencia
C.P. 36559, Irapuato, Gto. 01 (462) 606 91 00
www.japami.gob.mx





IRAPUATO
MEJOR CIUDAD

iDRAC9,Enterprise (385-BBKT), 3 Internal Dual SD Module with 2x 16GB SD²Card⁵ (385-BBMG), 3 PowerEdge FC640 Regulatory Label, DAO (389-CFVE), 3 No Controller (405-AACD), 3 2 CPU Heatsink (412-AAJM), 3 No Media Required (421-5736), 3 No Trusted Platform Module (461-AADZ), 3 PowerEdge FC PCIE Mezzanine Adapter (492-BBQT), 3 OME Server Configuration Management (528-BBWT), 3 Broadcom 57416 Dual Port 10Gb, Base-T, PCIe Adapter, Low Profile (540-BBVJ), 3 QLogic 57810-k Dual port 10Gb KR CNA Blade Network Daughter Card (542-BBBN), 3 No Systems Documentation, No OpenManage DVD Kit (631-AACK), 3 VMware ESXi 6.5 U1 Embedded Image on Flash Media for Diskless (634-BNJK), 3 System ordered as part of Multipack order (750-AADI), 3 System ordered as part of Multipack order (750-AADI), 3 Diskless Configuration (No RAID, No Controller) (780-BCDH), 3 On-Site Installation Declined (900-9997), 3 Thank you for choosing Dell ProSupport Plus. For tech support, visit <http://www.dell.com/contactdell> (971-7037), 3 Dell Limited Hardware Warranty Plus Service, Initial Years (815-2743), 3 ProSupport Plus Mission Critical: 4-Hour 7x24 On-Site Service with Emergency Dispatch, 3 Years (815-2768), 3 ProSupport Plus Mission Critical: 7x24 HW/SW Technical Support and Assistance, 5 Years (815-2773), 3 ProSupport Plus Mission Critical: 4-Hour 7x24 On-Site Service with Emergency Dispatch, 2 Years Extended (815-2772), 3 Dell Hardware Limited Warranty Plus On Site Service Extended Year (963-5582), 2 Dell PowerEdge FN410T I/O Module, 8x Internal to 4x 10GBASE-T external ports, Factory Installed (210-AHBR), 2 US Order (332-1286), 2 Software, Rights to use Full-Switch Mode, FN I/O Module (634-BFBL), 2 On-Site Installation Declined (900-9997), 2 Thank you for choosing Dell ProSupport Plus. For tech support, visit <http://www.dell.com/contactdell> (971-7037), 2 Dell Limited Hardware Warranty Plus Service, Initial Years (808-2455), 2 ProSupport Plus Mission Critical:4-Hour 7x24 Onsite Service with Emergency Dispatch, 3 Years (808-2677), 2 ProSupport Plus Mission Critical:7x24 HW/SW Technical Support and Assistance, 5 Years (808-2709), 2 ProSupport Plus Mission Critical:4-Hour 7x24 Onsite Service with Emergency Dispatch, 2 Years Extended (808-2669), 2 Dell Hardware Limited Warranty Plus On Site Service Extended Year (963-5582).
1 SCv3000 3Ux16 Drive Storage Array (210-ALVH), 1 US Order (332-1286), 1 SHIP,SCV3000,DAO (340-BRZD), 1 SC Bezel (350-BBKJ), 6 SC, 960GB, SAS, 12Gb, RI SSD, 2.5" HYB (400-ARSY), 10 SC, 6TB, SAS, 12Gb, 7.2K, 3.5" HDD (400-AVLB), 1 No Mezzanine Card (403-BBPD), 1 No Mezzanine Card (403-BBPD), 1 IO, 10Gb iSCSI, 4 port, PCI-E, Copper, Full height (406-BBLY), 1 IO, 10Gb iSCSI, 4 port, PCI-E, Copper, Full height (406-BBLY), 1 SCv30X0 Dual Controller Components (449-BBLE), 2 Power Cord, 250V, 16A, C19 to C20, 2 feet (450-AFEF), 1 Redundant Power Supply, 1378W, C20 (450-AGJN), 1 Storage Center Core Software Bundle, Base License (634-BJUI), 1 SSN License (634-BKCL), 1 Storage Optimization Bundle, Software License (Includes: Data Progression, Fast Track) (634-BKCM), 1 Rack rail, 2Us, Static (770-BBUJ), 1 On-Site Installation Declined (900-9997), 1 Thank you for choosing Dell ProSupport Plus. For tech support, visit <http://www.dell.com/contactdell> (971-7037), 1 Dell Hardware Limited Warranty (814-4998), 1 ProSupport Plus Mission Critical: 4-Hour 7x24 On-Site Service with Emergency Dispatch, 3 Years (814-5112), 1 ProSupport Plus Mission Critical: 7x24 HW/SW Tech Support and Assistance, 5 Years (814-5122), 1 ProSupport for Software: 7X24 Storage Center Optimization Bundle, 5 Years (815-3748), 1 ProSupport Plus Mission Critical: 4-Hour 7x24 On-Site Service with Emergency Dispatch, 2 Years Extended (814-5108), 1 Dell Limited Hardware Warranty Extended Year(s) (975-3461).

**JUNTA DE AGUA POTABLE, DRENAJE, ALCANTARILLADO
Y SANEAMIENTO DEL MUNICIPIO DE IRAPUATO**

Blvd. Juan José Torres Landa no. 1720, Col. Independencia
C.P. 36559, Irapuato, Gto. 01 (462) 606 91 00
www.japami.gob.mx





IRAPUATO
MEJOR CIUDAD
2015 - 2018

2 Dell Networking N4032, 24x 10GBASE-T Ports, 1x Modular Bay, 2x AC PSU, IO to PSU Airflow (210-ABVS), 2 US Order (332-1286), 2 Documentation Kit, N4000 Series Switch (340-AGNR), 2 QSFP+ 40GbE Module, 2-Port, Hot Swap, used for 40GbE Uplink, Stacking, or 8x 10GbE Breakout (409-BBCP), 2 Power Cord, 125V, 15A, 10 Feet, NEMA 5-15/C13 (450-AAFH), 2 Power Cord, 125V, 15A, 10 Feet, NEMA 5-15/C13 (450-AAFH), 2 Dell Networking, Cable, QSFP+ to QSFP+, 40GbE Passive Copper Direct Attach Cable, 1 Meter (470-AAFE), 2 On-Site Installation Declined (900-9997), 2 SW Support,NW,90 Day (966-9813), 2 Thank you for choosing Dell ProSupport Plus. For tech support, visit <http://www.dell.com/contactdell> (971-7037), 2 Dell Limited Hardware Warranty,Initial Year (966-9801), 2 Lifetime Limited Hardware Warranty with Basic Hardware Service Next Business Day Parts Only on your Power Connect Switch (966-9807), 2 ProSupport Plus: Mission Critical 4-Hour 7x24 On-Site Service with Emergency Dispatch, Initial Year (966-9994), 2 ProSupport Plus: 7x24 HW/SW Tech Support and Assistance, 5Year (973-9367), 2 Dell Hardware Limited Warranty Extended Year(s) (966-9803), 2 ProSupport Plus: Mission Critical 4-Hour 7x24 On-Site Service with Emergency Dispatch, 4 Year Extended (973-9331).

1 BUNDLE KIT 10 KVM ANALOGO 8PT Y KMM (A9860533) (incluye: 1 8-port APC KVM 2G Analog-KVM switch - CAT5 - 8 x

KVM port(s) - 1 local user - rack-mountable, 1 RACK 19IN LCD CONSOLE, 1 APC Server Module - KVM extender - USB - for

KVM 2G Enterprise analog, Enterprise Digital/IP).

1 BUNDLE APC KIT 4 GABINETE Y UPS ONLINE 5KVA (A9855624), 1 Installation of a Dell PowerEdge Rack (926-6439)

(Incluye: 1Dell Netshelter SX 42U Rack - 600mm Wide x 1070mm Deep, 2 American Power Conversion AR8442 Zero U Vertical

Cable Organizer for Netshelter Racks, 1 Dell APC SMART-UPS SRT 5000VA RM 208 6KVA RM BATTERY PACK, 2 American

Power Conversion AP7541 Zero U Basic Rack Power Distribution Unit, 1 Installation of a Dell PowerEdge Rack).

- Configuración, instalación y puesta en marcha. Deberán presentar pruebas de "Alta disponibilidad", deberán entregar manual de usuario.
- Capacitación sobre la instalación, configuración y puesta en marcha a personal de TIC de JAPAMI.
- Garantía del bien por el proveedor, mínima de 3 años;

La adquisición se realizara a través de un procedimiento de Licitación Restringida por parte del Comité de Adquisiciones enajenaciones, arrendamientos y servicios.

RECEPCION DE PROPUESTAS TECNICAS Y ECONOMICAS:

- Del **29 de mayo al 4 de junio del 2018** de 09:00 a las 15:00 horas,
- En el módulo de oficialía de partes de las oficinas centrales de JAPAMI, ubicadas en Juan José Torres Landa no. 1720, Col. Independencia, Irapuato, Gto.
- Con atención al Ing. Humberto Javier Rosiles Álvarez Director General de Japami.

**JUNTA DE AGUA POTABLE, DRENAJE, ALCANTARILLADO
Y SANEAMIENTO DEL MUNICIPIO DE IRAPUATO**

Blvd. Juan José Torres Landa no. 1720, Col. Independencia
C.P. 36559, Irapuato, Gto. 01 (462) 606 91 00
www.japami.gob.mx



REQUISITOS PARA LA PRESENTACIÓN DE LA PROPUESTA TÉCNICA Y ECONÓMICA.

- Deberá entregarse en sobre cerrado en hoja membretada y firma autógrafa en original por el representante legal.
- Su propuesta económica deberá ser en moneda nacional con IVA desglosado;
- Vigencia de la propuesta;

PERIODO DE ENTREGA DE LOS BIENES.

- 10 (diez) Semanas para la entrega y puesta en marcha, a partir de la firma del contrato.

Deberá apegarse justa, exacta y cabalmente a los requisitos y especificaciones del bien enunciado.

CONDICIONES DE PAGO

- Se podrá otorgar un anticipo, a solicitud del proveedor, máximo del 50%.
- Se efectuara el pago del monto restante que corresponda una vez hecha la entrega dentro de los 10 días hábiles posteriores de haber recibido el equipo de conformidad por parte del Director de Tecnologías de la Información y Comunicación y el Director de Adquisiciones y Almacén de Japami.

CONTRATO Y GARANTIAS

El proveedor adjudicado deberá de formalizar la celebración del contrato, dentro de los diez días hábiles posteriores a la notificación del fallo tomado por el comité.

En caso de requerir anticipo, deberá entregar una garantía por el 100% del monto otorgado como anticipo.

Deberá entregar una garantía de cumplimiento por el 10% del monto total contratado.

Se aceptara exclusivamente como garantía fianza o cheque certificado.

Deberá entregar una garantía de vicios ocultos, previamente a la recepción de los bienes, **EL PROVEEDOR** se obliga a constituir una fianza por el equivalente al 10% diez por ciento del monto total del contrato sin incluir el I.V.A., a efecto de responder de los defectos que resultaren en los mismos, de los vicios ocultos y de cualquier responsabilidad en que hubiere incurrido de conformidad con lo establecido en este contrato y en la legislación aplicable. Esta garantía tendrá una vigencia de 12 meses a partir de la entrega-recepción de los bienes.

CAUSAS PARA DESECHAR LAS PROPUESTAS

17. Que sus características se oferten de manera incompleta, diferente, o que no indiquen datos de identificación, cantidad, descripción, marca, modelo, unidad de medida o demás solicitadas.
18. Las que rebasen la base para el precio no aceptable.

CAUSAS PARA DECLARAR DESIERTO EL PROCEDIMIENTO DE ADJUDICACIÓN.

9. Si el acto de apertura de ofertas no se cuenta por lo menos con tres propuestas a sobre cerrado que cumplan con los requisitos establecidos en la invitación.

Para aclarar cualquier duda respecto a la descripción de lo solicitado, favor de comunicarse a la dirección de correo electrónico:

ksandoval@japami.gob.mx, maperez@japami.gob.mx, jnieto@japami.gob.mx, y/o al teléfono (462) 6069100 extensión 110, 133,146 y149 con atención a la Lic. Karina Sandoval Rodríguez, Ing. Marco Antonio Perez Martínez, y/o C.P. Jeronimo Nieto Martinez.

ATENTAMENTE
"Tu agua, Tu entorno"

Ing. Humberto Javier Rosiles Álvarez
Director General

C.c.p.- Karina Sandoval Rodríguez.-Gerente Administrativa.- Mismo fin
Jerónimo Nieto Martínez.- Director de Adquisiciones y Almacén.- Mismo fin
Marco Antonio Perez Martínez.- Director de Tecnologías de la Información y Comunicación.- Mismo Fin
Ma. Del Carmen Barajas Zepeda.- Coordinador Jurídico
Archivo.

**JUNTA DE AGUA POTABLE, DRENAJE, ALCANTARILLADO
Y SANEAMIENTO DEL MUNICIPIO DE IRAPUATO**

Bldv. Juan José Torres Landa no. 1720, Col. Independencia
C.P. 36559, Irapuato, Gto. 01 (462) 606 91 00
www.japami.gob.mx





IRAPUATO
MEJOR CIUDAD
2015 - 2018

No.	1912
Expediente	CCS/2018
Asunto	Solicitud de cotización.

Irapuato, Gto. 23 de Mayo de 2018


T LINE MEXICO
Av. Paseo De La Reforma No. 382 Piso 5,
Colonia: Juárez, Cuauhtémoc
Ciudad De México 06600
Presente.

Sirva el presente para invitarle a participar en el procedimiento para la adquisición de un servidor para el área de Tecnologías de Información y Comunicación cuyas características mínimas se detallan a continuación:

- Servidor que incluya: 1 PowerEdge FX2 (210-ABUX), 1 Serial I/O Management Cable, for Ethernet Blade Switches (310-9696), 1 PowerEdge FX2 Chassis for up to 4 Half-Width Nodes (321-BBFM), 1 FX2 Half-Width Node Filler Blank (321-BBFT), 1 FX2S Chassis Configuration Label (321-BBFZ), 1 PowerEdge FX2S Chassis Configuration with Flexible IO (up to 8 PCIe Slots) (321-BBGH), 1 US Order (332-1286), 1 PowerEdge FX2 Shipping (340-AGKB), 1 PowerEdge FN I/O Module User Documentation (340-AKBN), 1 User Guide, Fx2 chassis (343-BBBW), 1 Flex Address Plus Enabled, 8GB (385-BBJR), 1 No Media Required (421-5736), 1 Power Supply, Redundancy Alerting Enabled Configuration (450-ADTZ), 1 Dual, Hot-plug, Redundant Power Supply, 2000W, C19/C20 Power Cord Required for Use (450-AENU), 2 Power Cord, C20 to C19, PDU Style, 16A, 250V, 2ft (0.6m) (492-BBEI), 1 Redundant Ethernet Switch Configuration (540-BBQM), 1 CMC Enterprise for FX2 (634-0287), 1 FX2 ReadyRails Sliding Rails (770-BBER), 1 Onsite Installation Declined (911-0418), 1 Dell Proactive Systems Management - Declined - www.dell.com/Proactive (923-7489), 1 Thank you for choosing Dell ProSupport Plus. For tech support, visit <http://www.dell.com/contactdell> (971-7037), 1 Declined Remote Consulting Service (973-2873), 1 Dell Limited Hardware Warranty Plus Service, Initial Year (974-2754), 1 ProSupport Plus: Mission Critical 4-Hour 7x24 On-Site Service with Emergency Dispatch, Initial Year (974-2856), 1 ProSupport Plus: 7x24 HW/SW Tech Support and Assistance, 5Year (974-2865), 1 Dell Limited Hardware Warranty Plus Service, Extended Year(s) (974-2755), 1 ProSupport Plus: Mission Critical 4-Hour 7x24 On-Site Service with Emergency Dispatch, 4 Year Extended (974-2859), 3 PowerEdge FC640 Server Node (210-ALYN), 3 Chassis with up to 2 PCIe SSD or SATA Hard Drives (Diskless, No Raid, or SW Raid only) (321-BCTY), 3 US Order (332-1286), 3 Intel Xeon Gold 6136 3.0G, 12C/24T, 10.4GT/s, 24.75M Cache, Turbo, HT (150W) DDR4-2666 (338-BLMG), 3 Performance Optimized (370-AAIP), 18 32GB RDIMM 2666MT/s Dual Rank (370-ADNF), 3 2666MT/s RDIMMs (370-ADNU), 3 Intel Xeon Gold 6136 3.0G, 12C/24T, 10.4GT/s, 24.75M Cache, Turbo, HT (150W) DDR4-2666 (374-BBOB), 3 iDRAC Group Manager, Enabled (379-BCQV), 3 Performance BIOS Settings (384-BBBL), 3 iDRAC9, Enterprise (385-BBKT), 3 Internal Dual SD Module with 2x 16GB SD Card (385-

**JUNTA DE AGUA POTABLE, DRENAJE, ALCANTARILLADO
Y SANEAMIENTO DEL MUNICIPIO DE IRAPUATO**

Bldv. Juan José Torres Landa no. 1720, Col. Independencia
C.P. 36559, Irapuato, Gto. 01 (462) 606 91 00
www.japami.gob.mx





IRAPUATO
MEJOR CIUDAD

BBMG), 3 PowerEdge FC640 Regulatory Label, DAO (389-CFVE), 3 No Controller (405-AACD), 3 2 CPU Heatsink (412-AAJM), 3 No Media Required (421-5736), 3 No Trusted Platform Module (461-AADZ), 3 PowerEdge FC PCIE Mezzanine Adapter (492-BBQT), 3 OME Server Configuration Management (528-BBWT), 3 Broadcom 57416 Dual Port 10Gb, Base-T, PCIe Adapter, Low Profile (540-BBVJ), 3 QLogic 57810-k Dual port 10Gb KR CNA Blade Network Daughter Card (542-BBBN), 3 No Systems Documentation, No OpenManage DVD Kit (631-AACK), 3 VMware ESXi 6.5 U1 Embedded Image on Flash Media for Diskless (634-BNJK), 3 System ordered as part of Multipack order (750-AADI), 3 System ordered as part of Multipack order (750-AADI), 3 Diskless Configuration (No RAID, No Controller) (780-BCDH), 3 On-Site Installation Declined (900-9997), 3 Thank you for choosing Dell ProSupport Plus. For tech support, visit <http://www.dell.com/contactdell> (971-7037), 3 Dell Limited Hardware Warranty Plus Service, Initial Years (815-2743), 3 ProSupport Plus Mission Critical: 4-Hour 7x24 On-Site Service with Emergency Dispatch, 3 Years (815-2768), 3 ProSupport Plus Mission Critical: 7x24 HW/SW Technical Support and Assistance, 5 Years (815-2773), 3 ProSupport Plus Mission Critical: 4-Hour 7x24 On-Site Service with Emergency Dispatch, 2 Years Extended (815-2772), 3 Dell Hardware Limited Warranty Plus On Site Service Extended Year (963-5582), 2 Dell PowerEdge FN410T I/O Module, 8x Internal to 4x 10GBASE-T external ports, Factory Installed (210-AHBR), 2 US Order (332-1286), 2 Software, Rights to use Full-Switch Mode, FN I/O Module (634-BFBL), 2 On-Site Installation Declined (900-9997), 2 Thank you for choosing Dell ProSupport Plus. For tech support, visit <http://www.dell.com/contactdell> (971-7037), 2 Dell Limited Hardware Warranty Plus Service, Initial Years (808-2455), 2 ProSupport Plus Mission Critical:4-Hour 7x24 Onsite Service with Emergency Dispatch, 3 Years (808-2677), 2 ProSupport Plus Mission Critical:7x24 HW/SW Technical Support and Assistance, 5 Years (808-2709), 2 ProSupport Plus Mission Critical:4-Hour 7x24 Onsite Service with Emergency Dispatch, 2 Years Extended (808-2669), 2 Dell Hardware Limited Warranty Plus On Site Service Extended Year (963-5582).

1 SCv3000 3Ux16 Drive Storage Array (210-ALVH), 1 US Order (332-1286), 1 SHIP,SCV3000,DAO (340-BRZD), 1 SC Bezel (350-BBKJ), 6 SC, 960GB, SAS, 12Gb, RI SSD, 2.5" HYB (400-ARSY), 10 SC, 6TB, SAS, 12Gb, 7.2K, 3.5" HDD (400-AVLB), 1 No Mezzanine Card (403-BBPD), 1 No Mezzanine Card (403-BBPD), 1 IO, 10Gb iSCSI, 4 port, PCI-E, Copper, Full height (406-BBLY), 1 IO, 10Gb iSCSI, 4 port, PCI-E, Copper, Full height (406-BBLY), 1 SCv30X0 Dual Controller Components (449-BBLE), 2 Power Cord, 250V, 16A, C19 to C20, 2 feet (450-AFEF), 1 Redundant Power Supply, 1378W, C20 (450-AGJN), 1 Storage Center Core Software Bundle, Base License (634-BJUI), 1 SSN License (634-BKCL), 1 Storage Optimization Bundle, Software License (Includes: Data Progression, Fast Track) (634-BKCM), 1 Rack rail, 2Us, Static (770-BBUJ), 1 On-Site Installation Declined (900-9997), 1 Thank you for choosing Dell ProSupport Plus. For tech support, visit <http://www.dell.com/contactdell> (971-7037), 1 Dell Hardware Limited Warranty (814-4998), 1 ProSupport Plus Mission Critical: 4-Hour 7x24 On-Site Service with Emergency Dispatch, 3 Years (814-5112), 1 ProSupport Plus Mission Critical: 7x24 HW/SW Tech Support and Assistance, 5 Years (814-5122), 1 ProSupport for Software: 7X24 Storage Center Optimization Bundle, 5 Years (815-3748), 1 ProSupport Plus Mission Critical: 4-Hour 7x24 On-Site Service with Emergency Dispatch, 2 Years Extended (814-5108), 1 Dell Limited Hardware Warranty Extended Year(s) (975-3461).

**JUNTA DE AGUA POTABLE, DRENAJE, ALCANTARILLADO
Y SANEAMIENTO DEL MUNICIPIO DE IRAPUATO**

Bldv. Juan José Torres Landa no. 1720, Col. Independencia
C.P. 36559, Irapuato, Gto. 01 (462) 606 91 00
www.japami.gob.mx





IRAPUATO
MEJOR CIUDAD
2015 - 2018

2 Dell Networking N4032, 24x 10GBASE-T Ports, 1x Modular Bay, 2x AC PSU, IO to PSU Airflow (210-ABVS), 2 US Order (332-1286), 2 Documentation Kit, N4000 Series Switch (340-AGNR), 2 QSFP+ 40GbE Module, 2-Port, Hot Swap, used for 40GbE Uplink, Stacking, or 8x 10GbE Breakout (409-BBCP), 2 Power Cord, 125V, 15A, 10 Feet, NEMA 5-15/C13 (450-AAFH), 2 Power Cord, 125V, 15A, 10 Feet, NEMA 5-15/C13 (450-AAFH), 2 Dell Networking, Cable, QSFP+ to QSFP+, 40GbE Passive Copper Direct Attach Cable, 1 Meter (470-AAFE), 2 On-Site Installation Declined (900-9997), 2 SW Support,NW,90 Day (966-9813), 2 Thank you for choosing Dell ProSupport Plus. For tech support, visit <http://www.dell.com/contactdell> (971-7037), 2 Dell Limited Hardware Warranty,Initial Year (966-9801), 2 Lifetime Limited Hardware Warranty with Basic Hardware Service Next Business Day Parts Only on your Power Connect Switch (966-9807), 2 ProSupport Plus: Mission Critical 4-Hour 7x24 On-Site Service with Emergency Dispatch, Initial Year (966-9994), 2 ProSupport Plus: 7x24 HW/SW Tech Support and Assistance, 5Year (973-9367), 2 Dell Hardware Limited Warranty Extended Year(s) (966-9803), 2 ProSupport Plus: Mission Critical 4-Hour 7x24 On-Site Service with Emergency Dispatch, 4 Year Extended (973-9331).

1 BUNDLE KIT 10 KVM ANALOGO 8PT Y KMM (A9860533) (incluye: 1 8-port APC KVM 2G Analog-KVM switch - CAT5 - 8 x

KVM port(s) - 1 local user - rack-mountable, 1 RACK 19IN LCD CONSOLE, 1 APC Server Module - KVM extender - USB - for

KVM 2G Enterprise analog, Enterprise Digital/IP).

1 BUNDLE APC KIT 4 GABINETE Y UPS ONLINE 5KVA (A9855624), 1 Installation of a Dell PowerEdge Rack (926-6439)

(Incluye: 1Dell Netshelter SX 42U Rack - 600mm Wide x 1070mm Deep, 2 American Power Conversion AR8442 Zero U Vertical

Cable Organizer for Netshelter Racks, 1 Dell APC SMART-UPS SRT 5000VA RM 208 6KVA RM BATTERY PACK, 2 American

Power Conversion AP7541 Zero U Basic Rack Power Distribution Unit, 1 Installation of a Dell PowerEdge Rack).

- Configuración, instalación y puesta en marcha. Deberán presentar pruebas de "Alta disponibilidad", deberán entregar manual de usuario.
- Capacitación sobre la instalación, configuración y puesta en marcha a personal de TIC de JAPAMI.
- Garantía del bien por el proveedor, mínima de 3 años;

La adquisición se realizara a través de un procedimiento de Licitación Restringida por parte del Comité de Adquisiciones enajenaciones, arrendamientos y servicios.

RECEPCION DE PROPUESTAS TECNICAS Y ECONOMICAS:

- Del **29 de mayo al 4 de junio del 2018** de 09:00 a las 15:00 horas,
- En el módulo de oficialía de partes de las oficinas centrales de JAPAMI, ubicadas en Juan José Torres Landa no. 1720, Col. Independencia, Irapuato, Gto.
- Con atención al Ing. Humberto Javier Rosiles Álvarez Director General de Japami.

**JUNTA DE AGUA POTABLE, DRENAJE, ALCANTARILLADO
Y SANEAMIENTO DEL MUNICIPIO DE IRAPUATO**

Blvd. Juan José Torres Landa no. 1720, Col. Independencia
C.P. 36559, Irapuato, Gto. 01 (462) 606 91 00
www.japami.gob.mx



REQUISITOS PARA LA PRESENTACIÓN DE LA PROPUESTA TÉCNICA Y ECONÓMICA.

- Deberá entregarse en sobre cerrado en hoja membretada y firma autógrafa en original por el representante legal.
- Su propuesta económica deberá ser en moneda nacional con IVA desglosado;
- Vigencia de la propuesta;

PERIODO DE ENTREGA DE LOS BIENES.

- 10 (diez) Semanas para la entrega y puesta en marcha, a partir de la firma del contrato.

Deberá apegarse justa, exacta y cabalmente a los requisitos y especificaciones del bien enunciado.

CONDICIONES DE PAGO

- Se podrá otorgar un anticipo, a solicitud del proveedor, máximo del 50%.
- Se efectuara el pago del monto restante que corresponda una vez hecha la entrega dentro de los 10 días hábiles posteriores de haber recibido el equipo de conformidad por parte del Director de Tecnologías de la Información y Comunicación y el Director de Adquisiciones y Almacén de Japami.

CONTRATO Y GARANTIAS

El proveedor adjudicado deberá de formalizar la celebración del contrato, dentro de los diez días hábiles posteriores a la notificación del fallo tomado por el comité.

En caso de requerir anticipo, deberá entregar una garantía por el 100% del monto otorgado como anticipo.

Deberá entregar una garantía de cumplimiento por el 10% del monto total contratado.

Se aceptara exclusivamente como garantía fianza o cheque certificado.

Deberá entregar una garantía de vicios ocultos, previamente a la recepción de los bienes, **EL PROVEEDOR** se obliga a constituir una fianza por el equivalente al 10% diez por ciento del monto total del contrato sin incluir el I.V.A., a efecto de responder de los defectos que resultaren en los mismos, de los vicios ocultos y de cualquier responsabilidad en que hubiere incurrido de conformidad con lo establecido en este contrato y en la legislación aplicable. Esta garantía tendrá una vigencia de 12 meses a partir de la entrega-recepción de los bienes.

CAUSAS PARA DESECHAR LAS PROPUESTAS

19. Que sus características se oferten de manera incompleta, diferente, o que no indiquen datos de identificación, cantidad, descripción, marca, modelo, unidad de medida o demás solicitadas.
20. Las que rebasen la base para el precio no aceptable.

CAUSAS PARA DECLARAR DESIERTO EL PROCEDIMIENTO DE ADJUDICACIÓN.

10. Si el acto de apertura de ofertas no se cuenta por lo menos con tres propuestas a sobre cerrado que cumplan con los requisitos establecidos en la invitación.

Para aclarar cualquier duda respecto a la descripción de lo solicitado, favor de comunicarse a la dirección de correo electrónico:

ksandoval@japami.gob.mx, maperez@japami.gob.mx, jnieto@japami.gob.mx, y/o al teléfono (462) 6069100 extensión 110, 133,146 y149 con atención a la Lic. Karina Sandoval Rodríguez, Ing. Marco Antonio Perez Martínez, y/o C.P. Jeronimo Nieto Martinez.

ATENTAMENTE
"Tu agua, Tu entorno"

Ing. Humberto Javier Rosiles Álvarez
Director General

C.c.p.- Karina Sandoval Rodríguez.-Gerente Administrativa.- Mismo fin
Jerónimo Nieto Martínez.- Director de Adquisiciones y Almacén.- Mismo fin
Marco Antonio Perez Martínez.- Director de Tecnologías de la Información y Comunicación.- Mismo Fin
Ma. Del Carmen Barajas Zepeda.- Coordinador Jurídico
Archivo.

**JUNTA DE AGUA POTABLE, DRENAJE, ALCANTARILLADO
Y SANEAMIENTO DEL MUNICIPIO DE IRAPUATO**

Bldv. Juan José Torres Landa no. 1720, Col. Independencia
C.P. 36559, Irapuato, Gto. 01 (462) 606 91 00
www.japami.gob.mx





IRAPUATO
MEJOR CIUDAD
2015 - 2018

No.	1913
Expediente	CCS/2018
Asunto	Solicitud de cotización.

Irapuato, Gto. 23 de Mayo de 2018

TRUSTNET DE MEXICO SA DE CV
Av. Insurgentes Sur 617, Piso 5
Colonia: Nápoles
Ciudad De México 03810
Presente.

Sirva el presente para invitarle a participar en el procedimiento para la adquisición de un servidor para el área de Tecnologías de Información y Comunicación cuyas características mínimas se detallan a continuación:

- Servidor que incluya: 1 PowerEdge FX2 (210-ABUX), 1 Serial I/O Management Cable, for Ethernet Blade Switches (310-9696), 1 PowerEdge FX2 Chassis for up to 4 Half-Width Nodes (321-BBFM), 1 FX2 Half-Width Node Filler Blank (321-BBFT), 1 FX2S Chassis Configuration Label (321-BBFZ), 1 PowerEdge FX2S Chassis Configuration with Flexible IO (up to 8 PCIe Slots) (321-BBGH), 1 US Order (332-1286), 1 PowerEdge FX2 Shipping (340-AGKB), 1 PowerEdge FN I/O Module User Documentation (340-AKBN), 1 User Guide, Fx2 chassis (343-BBBW), 1 Flex Address Plus Enabled,8GB (385-BBJR), 1 No Media Required (421-5736), 1 Power Supply, Redundancy Alerting Enabled Configuration (450-ADTZ), 1 Dual, Hot-plug, Redundant Power Supply, 2000W, C19/C20 Power Cord Required for Use (450-AENU), 2 Power Cord, C20 to C19, PDU Style, 16A, 250V, 2ft (0.6m) (492-BBEI), 1 Redundant Ethernet Switch Configuration (540-BBQM), 1 CMC Enterprise for FX2 (634-0287), 1 FX2 ReadyRails Sliding Rails (770-BBER), 1 Onsite Installation Declined (911-0418), 1 Dell Proactive Systems Management - Declined - www.dell.com/Proactive (923-7489), 1 Thank you for choosing Dell ProSupport Plus. For tech support, visit <http://www.dell.com/contactdell> (971-7037), 1 Declined Remote Consulting Service (973-2873), 1 Dell Limited Hardware Warranty Plus Service,Initial Year (974-2754), 1 ProSupport Plus: Mission Critical 4-Hour 7x24 On-Site Service with Emergency Dispatch, Initial Year (974-2856), 1 ProSupport Plus: 7x24 HW/SW Tech Support and Assistance, 5Year (974-2865), 1 Dell Limited Hardware Warranty Plus Service,Extended Year(s) (974-2755), 1 ProSupport Plus: Mission Critical 4-Hour 7x24 On-Site Service with Emergency Dispatch, 4 Year Extended (974-2859), 3 PowerEdge FC640 Server Node (210-ALYN), 3 Chassis with up to 2 PCIe SSD or SATA Hard Drives (Diskless, No Raid, or SW Raid only) (321-BCTY), 3 US Order (332-1286), 3 Intel Xeon Gold 6136 3.0G, 12C/24T, 10.4GT/s , 24.75M Cache, Turbo, HT (150W) DDR4-2666 (338-BLMG), 3 Performance Optimized (370-AAIP), 18 32GB RDIMM 2666MT/s Dual Rank (370-ADNF), 3 2666MT/s RDIMMs (370-ADNU), 3 Intel Xeon Gold 6136 3.0G, 12C/24T, 10.4GT/s , 24.75M Cache, Turbo, HT (150W) DDR4-2666 (374-BBOB), 3 iDRAC Group Manager, Enabled (379-BCQV), 3 Performance BIOS Settings (384-BBBL), 3

**JUNTA DE AGUA POTABLE, DRENAJE, ALCANTARILLADO
Y SANEAMIENTO DEL MUNICIPIO DE IRAPUATO**

Blvd. Juan José Torres Landa no. 1720, Col. Independencia
C.P. 36559, Irapuato, Gto. 01 (462) 606 91 00
www.japami.gob.mx





IRAPUATO
MEJOR CIUDAD

iDRAC9,Enterprise (385-BBKT), 3 Internal Dual SD Module with 2x 16GB SD²Card⁵ (385-BBMG), 3 PowerEdge FC640 Regulatory Label, DAO (389-CFVE), 3 No Controller (405-AACD), 3 2 CPU Heatsink (412-AAJM), 3 No Media Required (421-5736), 3 No Trusted Platform Module (461-AADZ), 3 PowerEdge FC PCIE Mezzanine Adapter (492-BBQT), 3 OME Server Configuration Management (528-BBWT), 3 Broadcom 57416 Dual Port 10Gb, Base-T, PCIe Adapter, Low Profile (540-BBVJ), 3 QLogic 57810-k Dual port 10Gb KR CNA Blade Network Daughter Card (542-BBBN), 3 No Systems Documentation, No OpenManage DVD Kit (631-AACK), 3 VMware ESXi 6.5 U1 Embedded Image on Flash Media for Diskless (634-BNJK), 3 System ordered as part of Multipack order (750-AADI), 3 System ordered as part of Multipack order (750-AADI), 3 Diskless Configuration (No RAID, No Controller) (780-BCDH), 3 On-Site Installation Declined (900-9997), 3 Thank you for choosing Dell ProSupport Plus. For tech support, visit <http://www.dell.com/contactdell> (971-7037), 3 Dell Limited Hardware Warranty Plus Service, Initial Years (815-2743), 3 ProSupport Plus Mission Critical: 4-Hour 7x24 On-Site Service with Emergency Dispatch, 3 Years (815-2768), 3 ProSupport Plus Mission Critical: 7x24 HW/SW Technical Support and Assistance, 5 Years (815-2773), 3 ProSupport Plus Mission Critical: 4-Hour 7x24 On-Site Service with Emergency Dispatch, 2 Years Extended (815-2772), 3 Dell Hardware Limited Warranty Plus On Site Service Extended Year (963-5582), 2 Dell PowerEdge FN410T I/O Module, 8x Internal to 4x 10GBASE-T external ports, Factory Installed (210-AHBR), 2 US Order (332-1286), 2 Software, Rights to use Full-Switch Mode, FN I/O Module (634-BFBL), 2 On-Site Installation Declined (900-9997), 2 Thank you for choosing Dell ProSupport Plus. For tech support, visit <http://www.dell.com/contactdell> (971-7037), 2 Dell Limited Hardware Warranty Plus Service, Initial Years (808-2455), 2 ProSupport Plus Mission Critical:4-Hour 7x24 Onsite Service with Emergency Dispatch, 3 Years (808-2677), 2 ProSupport Plus Mission Critical:7x24 HW/SW Technical Support and Assistance, 5 Years (808-2709), 2 ProSupport Plus Mission Critical:4-Hour 7x24 Onsite Service with Emergency Dispatch, 2 Years Extended (808-2669), 2 Dell Hardware Limited Warranty Plus On Site Service Extended Year (963-5582).
1 SCv3000 3Ux16 Drive Storage Array (210-ALVH), 1 US Order (332-1286), 1 SHIP,SCV3000,DAO (340-BRZD), 1 SC Bezel (350-BBKJ), 6 SC, 960GB, SAS, 12Gb, RI SSD, 2.5" HYB (400-ARSY), 10 SC, 6TB, SAS, 12Gb, 7.2K, 3.5" HDD (400-AVLB), 1 No Mezzanine Card (403-BBPD), 1 No Mezzanine Card (403-BBPD), 1 IO, 10Gb iSCSI, 4 port, PCI-E, Copper, Full height (406-BBLY), 1 IO, 10Gb iSCSI, 4 port, PCI-E, Copper, Full height (406-BBLY), 1 SCv30X0 Dual Controller Components (449-BBLE), 2 Power Cord, 250V, 16A, C19 to C20, 2 feet (450-AFEF), 1 Redundant Power Supply, 1378W, C20 (450-AGJN), 1 Storage Center Core Software Bundle, Base License (634-BJUI), 1 SSN License (634-BKCL), 1 Storage Optimization Bundle, Software License (Includes: Data Progression, Fast Track) (634-BKCM), 1 Rack rail, 2Us, Static (770-BBUJ), 1 On-Site Installation Declined (900-9997), 1 Thank you for choosing Dell ProSupport Plus. For tech support, visit <http://www.dell.com/contactdell> (971-7037), 1 Dell Hardware Limited Warranty (814-4998), 1 ProSupport Plus Mission Critical: 4-Hour 7x24 On-Site Service with Emergency Dispatch, 3 Years (814-5112), 1 ProSupport Plus Mission Critical: 7x24 HW/SW Tech Support and Assistance, 5 Years (814-5122), 1 ProSupport for Software: 7X24 Storage Center Optimization Bundle, 5 Years (815-3748), 1 ProSupport Plus Mission Critical: 4-Hour 7x24 On-Site Service with Emergency Dispatch, 2 Years Extended (814-5108), 1 Dell Limited Hardware Warranty Extended Year(s) (975-3461).

**JUNTA DE AGUA POTABLE, DRENAJE, ALCANTARILLADO
Y SANEAMIENTO DEL MUNICIPIO DE IRAPUATO**

Blvd. Juan José Torres Landa no. 1720, Col. Independencia
C.P. 36559, Irapuato, Gto. 01 (462) 606 91 00
www.japami.gob.mx





IRAPUATO
MEJOR CIUDAD
2015 - 2018

2 Dell Networking N4032, 24x 10GBASE-T Ports, 1x Modular Bay, 2x AC PSU, IO to PSU Airflow (210-ABVS), 2 US Order (332-1286), 2 Documentation Kit, N4000 Series Switch (340-AGNR), 2 QSFP+ 40GbE Module, 2-Port, Hot Swap, used for 40GbE Uplink, Stacking, or 8x 10GbE Breakout (409-BBCP), 2 Power Cord, 125V, 15A, 10 Feet, NEMA 5-15/C13 (450-AAFH), 2 Power Cord, 125V, 15A, 10 Feet, NEMA 5-15/C13 (450-AAFH), 2 Dell Networking, Cable, QSFP+ to QSFP+, 40GbE Passive Copper Direct Attach Cable, 1 Meter (470-AAFE), 2 On-Site Installation Declined (900-9997), 2 SW Support,NW,90 Day (966-9813), 2 Thank you for choosing Dell ProSupport Plus. For tech support, visit <http://www.dell.com/contactdell> (971-7037), 2 Dell Limited Hardware Warranty,Initial Year (966-9801), 2 Lifetime Limited Hardware Warranty with Basic Hardware Service Next Business Day Parts Only on your Power Connect Switch (966-9807), 2 ProSupport Plus: Mission Critical 4-Hour 7x24 On-Site Service with Emergency Dispatch, Initial Year (966-9994), 2 ProSupport Plus: 7x24 HW/SW Tech Support and Assistance, 5Year (973-9367), 2 Dell Hardware Limited Warranty Extended Year(s) (966-9803), 2 ProSupport Plus: Mission Critical 4-Hour 7x24 On-Site Service with Emergency Dispatch, 4 Year Extended (973-9331).

1 BUNDLE KIT 10 KVM ANALOGO 8PT Y KMM (A9860533) (incluye: 1 8-port APC KVM 2G Analog-KVM switch - CAT5 - 8 x

KVM port(s) - 1 local user - rack-mountable, 1 RACK 19IN LCD CONSOLE, 1 APC Server Module - KVM extender - USB - for

KVM 2G Enterprise analog, Enterprise Digital/IP).

1 BUNDLE APC KIT 4 GABINETE Y UPS ONLINE 5KVA (A9855624), 1 Installation of a Dell PowerEdge Rack (926-6439)

(Incluye: 1Dell Netshelter SX 42U Rack - 600mm Wide x 1070mm Deep, 2 American Power Conversion AR8442 Zero U Vertical

Cable Organizer for Netshelter Racks, 1 Dell APC SMART-UPS SRT 5000VA RM 208 6KVA RM BATTERY PACK, 2 American

Power Conversion AP7541 Zero U Basic Rack Power Distribution Unit, 1 Installation of a Dell PowerEdge Rack).

- Configuración, instalación y puesta en marcha. Deberán presentar pruebas de "Alta disponibilidad", deberán entregar manual de usuario.
- Capacitación sobre la instalación, configuración y puesta en marcha a personal de TIC de JAPAMI.
- Garantía del bien por el proveedor, mínima de 3 años;

La adquisición se realizara a través de un procedimiento de Licitación Restringida por parte del Comité de Adquisiciones enajenaciones, arrendamientos y servicios.

RECEPCION DE PROPUESTAS TECNICAS Y ECONOMICAS:

- Del **29 de mayo al 4 de junio del 2018** de 09:00 a las 15:00 horas,
- En el módulo de oficialía de partes de las oficinas centrales de JAPAMI, ubicadas en Juan José Torres Landa no. 1720, Col. Independencia, Irapuato, Gto.
- Con atención al Ing. Humberto Javier Rosiles Álvarez Director General de Japami.

**JUNTA DE AGUA POTABLE, DRENAJE, ALCANTARILLADO
Y SANEAMIENTO DEL MUNICIPIO DE IRAPUATO**

Blvd. Juan José Torres Landa no. 1720, Col. Independencia
C.P. 36559, Irapuato, Gto. 01 (462) 606 91 00
www.japami.gob.mx



REQUISITOS PARA LA PRESENTACIÓN DE LA PROPUESTA TÉCNICA Y ECONÓMICA.

- Deberá entregarse en sobre cerrado en hoja membretada y firma autógrafa en original por el representante legal.
- Su propuesta económica deberá ser en moneda nacional con IVA desglosado;
- Vigencia de la propuesta;

PERIODO DE ENTREGA DE LOS BIENES.

- 10 (diez) Semanas para la entrega y puesta en marcha, a partir de la firma del contrato.

Deberá apegarse justa, exacta y cabalmente a los requisitos y especificaciones del bien enunciado.

CONDICIONES DE PAGO

- Se podrá otorgar un anticipo, a solicitud del proveedor, máximo del 50%.
- Se efectuara el pago del monto restante que corresponda una vez hecha la entrega dentro de los 10 días hábiles posteriores de haber recibido el equipo de conformidad por parte del Director de Tecnologías de la Información y Comunicación y el Director de Adquisiciones y Almacén de Japami.

CONTRATO Y GARANTIAS

El proveedor adjudicado deberá de formalizar la celebración del contrato, dentro de los diez días hábiles posteriores a la notificación del fallo tomado por el comité.

En caso de requerir anticipo, deberá entregar una garantía por el 100% del monto otorgado como anticipo.

Deberá entregar una garantía de cumplimiento por el 10% del monto total contratado.

Se aceptara exclusivamente como garantía fianza o cheque certificado.

Deberá entregar una garantía de vicios ocultos, previamente a la recepción de los bienes, **EL PROVEEDOR** se obliga a constituir una fianza por el equivalente al 10% diez por ciento del monto total del contrato sin incluir el I.V.A., a efecto de responder de los defectos que resultaren en los mismos, de los vicios ocultos y de cualquier responsabilidad en que hubiere incurrido de conformidad con lo establecido en este contrato y en la legislación aplicable. Esta garantía tendrá una vigencia de 12 meses a partir de la entrega-recepción de los bienes.

CAUSAS PARA DESECHAR LAS PROPUESTAS

21. Que sus características se oferten de manera incompleta, diferente, o que no indiquen datos de identificación, cantidad, descripción, marca, modelo, unidad de medida o demás solicitadas.
22. Las que rebasen la base para el precio no aceptable.

CAUSAS PARA DECLARAR DESIERTO EL PROCEDIMIENTO DE ADJUDICACIÓN.

11. Si el acto de apertura de ofertas no se cuenta por lo menos con tres propuestas a sobre cerrado que cumplan con los requisitos establecidos en la invitación.

Para aclarar cualquier duda respecto a la descripción de lo solicitado, favor de comunicarse a la dirección de correo electrónico:

ksandoval@japami.gob.mx, maperez@japami.gob.mx, jnieto@japami.gob.mx, y/o al teléfono (462) 6069100 extensión 110, 133,146 y149 con atención a la Lic. Karina Sandoval Rodríguez, Ing. Marco Antonio Perez Martínez, y/o C.P. Jeronimo Nieto Martinez.

ATENTAMENTE
"Tu agua, Tu entorno"

Ing. Humberto Javier Rosiles Álvarez
Director General

C.c.p.- Karina Sandoval Rodríguez.-Gerente Administrativa.- Mismo fin
Jerónimo Nieto Martínez.- Director de Adquisiciones y Almacén.- Mismo fin
Marco Antonio Perez Martínez.- Director de Tecnologías de la Información y Comunicación.- Mismo Fin
Ma. Del Carmen Barajas Zepeda.- Coordinador Jurídico
Archivo.